



SRI SRINIVASA EDUCATIONAL & CHARITABLE TRUST (R)
SAPTHAGIRI COLLEGE OF ENGINEERING
(Affiliated to Visvesvaraya Technological University, Belagavi and Approved by AICTE-New Delhi)
(Accredited by NAAC with "A" Grade) (ISO 9001:2015 & ISO 14001:2015 Certified Institution)
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru-560057

6.3.5 Institution has Performance Appraisal System for teaching and non-teaching staff

INDEX

| Sl.No | Contents | Page No. |
|-------|---------------------|----------|
| 1. | Teaching Staff | 1-6 |
| 2. | Non -Teaching staff | 7-21 |

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

LIST OF TEACHING STAFF Academic Year 2020-2021(ODD)

| Sl no. | Name | Designation |
|--------|--------------------------|---------------------|
| 1 | Dr.Veena S More | HOD and Professor |
| 2 | Dr.AllwinEbinesar J.S.S. | Associate professor |
| 3 | Prof.Prashanthkumar H P | Assistant Professor |
| 4 | Dr.Soumya C | Assistant Professor |
| 5 | Dr.Shobha G | Assistant Professor |
| 6 | Prof.Ananda H V | Assistant Professor |
| 7 | Prof.Kavya M V | Assistant Professor |
| 8 | Prof.Ramya D L | Assistant Professor |
| 9 | Dr.Chethana K R | Assistant Professor |



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Staff Appraisal

| | | |
|-----------------------------|------------------|-----------------------------------|
| Staff Name: Prof. Ramya D L | Sub Code: 17BT71 | Sub Name: Fermentation Technology |
| Section: 2L | Department: BT | Total Students given Feedback: 47 |

I. No Questions

Total Rating Out of Max Per(%)

| | | | |
|--|-------------|-------------|--------------|
| Adequacy Of Learning Material Provided. | 427 | 470.0 | 90.85 |
| Audibility/Clarity of Lecture. | 412 | 470.0 | 87.66 |
| Availability Of the Faculty After the Class Hours. | 433 | 470.0 | 92.13 |
| Chalk-Talk/ICT Tools Usage. | 433 | 470.0 | 92.13 |
| Interaction with the students in the class. | 439 | 470.0 | 93.40 |
| Impartial assessment of Students. | 450 | 470.0 | 95.74 |
| Discipline & Control on the class. | 453 | 470.0 | 96.38 |
| Planning Of Effective Teaching. | 451 | 470.0 | 95.96 |
| Regular & Punctual to the Classes. | 455 | 470.0 | 96.81 |
| Syllabus Coverage as per the Lesson Plan. | 448 | 470.0 | 95.32 |
| Total : | 4401 | 4700 | 93.64 |

OD Review:

Good keep it up.

W

B



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Staff Appraisal

| | | |
|--------------------------------------|------------------|-----------------------------------|
| Staff Name: Dr J S S Allwin Ebinesar | Sub Code: 17BT71 | Sub Name: Fermentation Technology |
| Section: 2L | Department: BT | Total Students given Feedback: 47 |

| I. No Questions | Total Rating Out of Max Per(%) | | |
|--|--------------------------------|-------|-------|
| Adequacy Of Learning Material Provided. | 392 | 470.0 | 83.40 |
| Audibility/Clarity of Lecture. | 426 | 470.0 | 90.64 |
| Availability Of the Faculty After the Class Hours. | 445 | 470.0 | 94.68 |
| Chalk-Talk/ICT Tools Usage. | 443 | 470.0 | 94.26 |
| Interaction with the students in the class. | 442 | 470.0 | 94.04 |
| Impartial assessment of Students. | 417 | 470.0 | 88.72 |
| Discipline & Control on the class. | 443 | 470.0 | 94.26 |
| Planning Of Effective Teaching. | 437 | 470.0 | 92.98 |
| Regular & Punctual to the Classes. | 449 | 470.0 | 95.53 |
| Syllabus Coverage as per the Lesson Plan. | 433 | 470.0 | 92.13 |
| Total : 4327 | | 4700 | 92.06 |

OD Review:

Good keep it up

HOD SIGNATURE

LIST OF TEACHING STAFF Academic Year 2020-2021(EVEN)

| Sl no. | Name | Designation |
|--------|--------------------------|---------------------|
| 1 | Dr.Veena S More | HOD and Professor |
| 2 | Dr.AllwinEbinesar J.S.S. | Associate professor |
| 3 | Prof.Prashanthkumar H P | Assistant Professor |
| 4 | Dr.Soumya C | Assistant Professor |
| 5 | Dr.Shobha G | Assistant Professor |
| 6 | Prof.Ananda H V | Assistant Professor |
| 7 | Prof.Kavya M V | Assistant Professor |
| 8 | Prof.Ramya D L | Assistant Professor |
| 9 | Dr.Chethana K R | Assistant Professor |



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560057

Individual Staff Appraisal

| | | |
|-----------------------------|------------------|-----------------------------------|
| Staff Name: Prof. Kavya M V | Sub Code: 18BT41 | Sub Name: Stoichiometry |
| Section: 2L | Department: BT | Total Students given Feedback: 42 |

I. No Questions

Total Rating Out of Max Per(%)

| | | | |
|--|-----|-------------|--------------|
| Adequacy Of Learning Material Provided. | 366 | 420.0 | 87.14 |
| Audibility/Clarity of Lecture. | 371 | 420.0 | 88.33 |
| Availability Of the Faculty After the Class Hours. | 368 | 420.0 | 87.62 |
| Chalk-Talk/ICT Tools Usage. | 363 | 420.0 | 86.43 |
| Interaction with the students in the class. | 371 | 420.0 | 88.33 |
| Impartial assessment of Students. | 347 | 420.0 | 82.62 |
| Discipline & Control on the class. | 369 | 420.0 | 87.86 |
| Planning Of Effective Teaching. | 355 | 420.0 | 84.52 |
| Regular & Punctual to the Classes. | 358 | 420.0 | 85.24 |
| Syllabus Coverage as per the Lesson Plan. | 374 | 420.0 | 89.05 |
| Total : 3642 | | 4200 | 86.71 |

OD Review:

Good. Keep it up

(Signature)

HOD SIGNATURE
Head of the Department
Dept. of Bio - Technology
Sapthagiri College of Engineering
No. 57/1, Chikkasandra
Hesaraghatta Main Road
Bangalore - 57

(Signature)

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bangalore - 560 057

Scanned with CamScanner

Scanned with CamScanner

Individual Staff Appraisal

| | | |
|--------------------------|------------------|-----------------------------------|
| Staff Name: Dr. Soumya C | Sub Code: 18BT42 | Sub Name: Molecular biology |
| Section: 2L | Department: BT | Total Students given Feedback: 42 |

| I. No Questions | Total Rating Out of Max Per(%) | | |
|--|--------------------------------|-------------|--------------|
| Adequacy Of Learning Material Provided. | 386 | 420.0 | 91.90 |
| Audibility/Clarity of Lecture. | 385 | 420.0 | 91.67 |
| Availability Of the Faculty After the Class Hours. | 387 | 420.0 | 92.14 |
| Chalk-Talk/ICT Tools Usage. | 395 | 420.0 | 94.05 |
| Interaction with the students in the class. | 392 | 420.0 | 93.33 |
| Impartial assessment of Students. | 387 | 420.0 | 92.14 |
| Discipline & Control on the class. | 397 | 420.0 | 94.52 |
| Planning Of Effective Teaching. | 393 | 420.0 | 93.57 |
| Regular & Punctual to the Classes. | 392 | 420.0 | 93.33 |
| Syllabus Coverage as per the Lesson Plan. | 391 | 420.0 | 93.10 |
| Total : | 3905 | 4200 | 92.98 |

OD Review:

Excellent . Keep it up.



HOD SIGNATURE
Head of the Department
Dept. of Bio - Technology
Sapthagiri College of Engineering
No. 57/1, Chikkasandra
Hesaraghatta Main Road
Bangalore - 57



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bangalore - 560 057

Administration Staff Appraisal

| | | |
|------------------------|--------------------------|------------------------------------|
| Staff Name: Mrs. Padma | Nature of Work: Accounts | Position: Accountant |
| Section: Overall | AY 2020-2021 | Total Students given Feedback: 982 |

| Sl. No | Questions | Total Rating Out of Max Per(%) | | |
|---------|--|--------------------------------|-------|-------|
| 1 | Adequacy Of Knowledge on Assigned Work. | 9000 | 9820 | 98.01 |
| 2 | Wayon Handling the Work. | 9625 | 9820 | 94.96 |
| 3 | Availability Of the Staff on time. | 9325 | 9820 | 99.03 |
| 4 | File Maintenance. | 9725 | 9820 | 81.47 |
| 5 | Discipline with the students. | 8000 | 9820 | 71.28 |
| 6 | Impartial with Students. | 7000 | 9820 | 96.98 |
| 7 | Discipline & Control on the File Handling. | 9523 | 9820 | 66.43 |
| 8 | Planning Of Effective Time Maintenance. | 6523 | 9820 | 91.67 |
| 9 | Regular & Punctual in office. | 9002 | 9820 | 91.29 |
| 10 | Guiding in completing the file process. | 8965 | 9820 | 88.28 |
| Total : | | 86688 | 98200 | 87.94 |

Principal Review:

Satisfactory

PRINCIPAL SIGNATURE

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Administration Staff Appraisal

| | | |
|-------------------------|--------------------------|------------------------------------|
| Staff Name: Mrs. Nayana | Nature of Work: Accounts | Position: Accountant |
| Section: Overall | AY 2020-2021 | Total Students given Feedback: 982 |

Sl.No Questions

Total Rating Out of MaxPer(%)

| | | | | |
|---------|--|-------|-------|-------|
| 1 | Adequacy Of Knowledge on Assigned Work. | 7825 | 9820 | 97.37 |
| 2 | Way on Handling the Work. | 9562 | 9820 | 88.58 |
| 3 | Availability Of the Staff on time. | 8699 | 9820 | 68.78 |
| 4 | File Maintenance. | 6754 | 9820 | 87.19 |
| 5 | Discipline with the students. | 8562 | 9820 | 98.29 |
| 6 | Impartial with Students. | 9652 | 9820 | 86.81 |
| 7 | Discipline & Control on the File Handling. | 8525 | 9820 | 73.87 |
| 8 | Planning Of Effective Time Maintenance. | 7254 | 9820 | 66.42 |
| 9 | Regular & Punctual in office. | 6522 | 9820 | 79.98 |
| 10 | Guiding in completing the file process. | 7854 | 9820 | 82.70 |
| Total : | | 81209 | 98200 | 83.00 |

Principal Review:

Satisfactory

PRINCIPAL SIGNATURE

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesareghatta Main Road
Bengaluru - 560 057

Administration Staff Appraisal

| | | |
|------------------------------|--------------------------|------------------------------------|
| Staff Name: Mrs. Mahalakshmi | Nature of Work: Accounts | Position: Accountant |
| Section: Overall | AY 2020-2021 | Total Students given Feedback: 982 |

Sl.No Questions

Total Rating Out of MaxPer(%)

| | | | | |
|---------|--|-------|-------|-------|
| 1 | Adequacy Of Knowledge on Assigned Work. | 8525 | 9820 | 69.78 |
| 2 | Wayon Handling the Work. | 6852 | 9820 | 91.67 |
| 3 | Availability Of the Staff on time. | 9002 | 9820 | 99.31 |
| 4 | File Maintenance. | 9752 | 9820 | 99.80 |
| 5 | Discipline with the students. | 9800 | 9820 | 99.34 |
| 6 | Impartial with Students. | 9755 | 9820 | 53.18 |
| 7 | Discipline & Control on the File Handling. | 5222 | 9820 | 89.05 |
| 8 | Planning Of Effective Time Maintenance. | 8745 | 9820 | 77.94 |
| 9 | Regular & Punctual in office. | 7654 | 9820 | 57.26 |
| 10 | Guiding in completing the file process. | 5623 | 9820 | 82.41 |
| Total : | | 80930 | 98200 | 81.97 |

Principal Review:

Satisfactory

PRINCIPAL SIGNATURE

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Heseraghatta Main Road
Bengaluru - 560 057

Administration Staff Appraisal

| | | |
|------------------------|--------------------------|------------------------------------|
| Staff Name: Mrs. Roopa | Nature of Work: Accounts | Position: Personal Assistant |
| Section: Overall | AY 2020-2021 | Total Students given Feedback: 982 |

Sl.No Questions

Total Rating Out of Max Per(%)

| | | | | |
|---------|--|-------|-------|-------|
| 1 | Adequacy Of Knowledge on Assigned Work. | 8956 | 9820 | 57.86 |
| 2 | Wayon Handling the Work. | 5682 | 9820 | 66.75 |
| 3 | Availability Of the Staff on time. | 6555 | 9820 | 91.20 |
| 4 | File Maintenance. | 8956 | 9820 | 99.33 |
| 5 | Discipline with the students. | 9754 | 9820 | 99.80 |
| 6 | Impartial with Students. | 9800 | 9820 | 87.26 |
| 7 | Discipline & Control on the File Handling. | 8569 | 9820 | 87.02 |
| 8 | Planning Of Effective Time Maintenance. | 8545 | 9820 | 66.85 |
| 9 | Regular & Punctual in office. | 6565 | 9820 | 87.42 |
| 10 | Guiding in completing the file process. | 8585 | 9820 | 83.47 |
| Total : | | 81967 | 98200 | 82.70 |

Principal Review:

Satisfactory

PRINCIPAL SIGNATURE

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Administration Staff Appraisal

| | | |
|-----------------------------|------------------------------|------------------------------------|
| Staff Name: Mrs. Nagarathna | Nature of Work: Receptionist | Position: Receptionist |
| Section: Overall | AY 2020-2021 | Total Students given Feedback: 982 |

Sl.No Questions

Total Rating Out of Max Per(%)

| | | | | |
|---------|--|-------|-------|--------|
| 1 | Adequacy Of Knowledge on Assigned Work. | 9756 | 9820 | 98.29 |
| 2 | Wayon Handling the Work. | 9652 | 9820 | 63.36 |
| 3 | Availability Of the Staff on time. | 6222 | 9820 | 65.66 |
| 4 | File Maintenance. | 6448 | 9820 | 81.47 |
| 5 | Discipline with the students. | 8000 | 9820 | 88.13 |
| 6 | Impartial with Students. | 8654 | 9820 | 87.22 |
| 7 | Discipline & Control on the File Handling. | 8565 | 9820 | 66.42 |
| 8 | Planning Of Effective Time Maintenance. | 6522 | 9820 | 100.36 |
| 9 | Regular & Punctual in office. | 9855 | 9820 | 87.03 |
| 10 | Guiding in completing the file process. | 8546 | 9820 | 83.73 |
| Total : | | 82220 | 98200 | 82.16 |

Principal Review:

Satisfactory.

PRINCIPAL SIGNATURE

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesarghatta Main Road
Bengaluru - 560 057

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|---|
| Instructor Name: Ms. Radhika C G | Sub.Code: 18EEL37 | Sub Name: Electrical Machines Laboratory -1 |
| Section: 3 rd A & B (2020-21) | Department: EEE | Total Students given Feedback: 95 |

| Sl.No | Questions | Total Rating | Out of Max | Per (%) |
|---------|---|--------------|------------|---------|
| 1 | Adequacy Of Knowledge on Lab Experiments. | 855 | 950 | 90 |
| 2 | Clarity of Doubt clearing in Lab. | 855 | 950 | 90 |
| 3 | Availability Of the Instructor After Lab Hours. | 855 | 950 | 90 |
| 4 | Lab Maintenance. | 855 | 950 | 90 |
| 5 | Interaction with the students in the Lab. | 855 | 950 | 90 |
| 6 | Impartial assessment of Students. | 855 | 950 | 90 |
| 7 | Discipline & Control on the Lab. | 760 | 950 | 80 |
| 8 | Planning Of Effective Lab Conduction. | 760 | 950 | 80 |
| 9 | Regular & Punctual to the lab. | 760 | 950 | 80 |
| 10 | Guiding Students in their Project. | 760 | 950 | 80 |
| Total : | | 7980 | 9500 | 86 |

HOD Review:

Good


HOD SIGNATURE

PROF. A. HOD
Department of Electrical & Electronic Engineering
Sapthagiri College of Engineering
Bangalore - 560 057



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hosaraghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|-----------------------------------|
| Instructor Name: Mrs. Mamatha | Sub Code: 18EEL38 | Sub Name: Electronics Laboratory |
| Section: 3 rd A & B (2020-21) | Department: EEE | Total Students given Feedback: 88 |

| Sl.No | Questions | Total Rating | Out of Max | per (%) |
|--------------|---|--------------|------------|---------|
| 1 | Adequacy of Knowledge on Lab Experiments. | 880 | 980 | 89.79 |
| 2 | Clarity of Doubt clearing in Lab. | 880 | 980 | 89.79 |
| 3 | Availability of the Instructor After Lab Hours. | 880 | 980 | 89.79 |
| 4 | Lab Maintenance. | 880 | 980 | 89.79 |
| 5 | Interaction with the students in the Lab. | 880 | 980 | 89.79 |
| 6 | Impartial assessment of Students. | 880 | 980 | 89.79 |
| 7 | Discipline & Control on the Lab. | 880 | 980 | 89.79 |
| 8 | Planning Of Effective Lab Conduction. | 880 | 980 | 89.79 |
| 9 | Regular & Punctual to the lab. | 880 | 980 | 89.79 |
| 10 | Guiding Students in their Project. | 880 | 980 | 89.79 |
| Total : 8800 | | 9800 | | 89.79 |

HOD Review:

Good

HOD SIGNATURE

PROF. S. HOD

Department of Electronics & Communication Engineering
Sapthagiri College of Engineering
Bengaluru - 560 057

Principal

Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|--------------------------------------|
| Instructor Name: Mr. Ramakrishna Shetty | Sub Code: 18EEL57 | Sub Name: Microcontroller Laboratory |
| Section: 5 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 110 |

| Sl.No | Questions | Total Rating | Out of Max | per (%) |
|---------|---|--------------|------------|---------|
| 1 | Adequacy of Knowledge on Lab Experiments. | 1100 | 1100 | 100 |
| 2 | Clarity of Doubt clearing in Lab. | 1100 | 1100 | 100 |
| 3 | Availability of the Instructor After Lab Hours. | 1100 | 1100 | 100 |
| 4 | Lab Maintenance. | 990 | 1100 | 90 |
| 5 | Interaction with the students in the Lab. | 990 | 1100 | 90 |
| 6 | Impartial assessment of Students. | 990 | 1100 | 90 |
| 7 | Discipline & Control on the Lab. | 990 | 1100 | 90 |
| 8 | Planning Of Effective Lab Conduction. | 880 | 1100 | 80 |
| 9 | Regular & Punctual to the lab. | 880 | 1100 | 80 |
| 10 | Guiding Students in their Project. | 880 | 1100 | 80 |
| Total : | | 9900 | 11000 | 90 |

HOD Review:

Good


HOD SIGNATURE

PROF & HOD

Department of Electrical & Electronics Engineering
Sapthagiri College of Engineering
Bengaluru - 560 057



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner

Individual Lab Instructor Appraisal

| | | |
|--|----------------------|--|
| Instructor Name: Mrs. Mamatha | Sub.Code: 18EEL58 | Sub Name: Power Electronics Laboratory |
| Section: 5 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 100 |

| Sl.No | Questions | Total Rating | Out of Max | per (%) |
|---------|---|--------------|------------|---------|
| 1 | Adequacy Of Knowledge on Lab Experiments. | 900 | 1000 | 90 |
| 2 | Clarity of Doubt clearing in Lab. | 900 | 1000 | 90 |
| 3 | Availability Of the Instructor After Lab Hours. | 900 | 1000 | 90 |
| 4 | Lab Maintenance. | 900 | 1000 | 90 |
| 5 | Interaction with the students in the Lab. | 900 | 1000 | 90 |
| 6 | Impartial assessment of Students. | 900 | 1000 | 90 |
| 7 | Discipline & Control on the Lab. | 800 | 1000 | 80 |
| 8 | Planning Of Effective Lab Conduction. | 800 | 1000 | 80 |
| 9 | Regular & Punctual to the lab. | 800 | 1000 | 80 |
| 10 | Guiding Students in their Project. | 800 | 1000 | 80 |
| Total : | | 8600 | 10000 | 86 |

HOD Review:

Good

HOD SIGNATURE

Prof. A. HOD

Department of Electrical & Electronic Engineering
Sapthagiri College of Engineering
Bengaluru - 560 057

(Signature)

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesarghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|--|
| Instructor Name: Mr. Ramakrishna Shetty | Sub Code: 17EEL76 | Sub Name: Power system simulation Laboratory |
| Section: 7 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 95 |

| Sl.No | Questions | Total Rating Out of Max per (%) | | |
|---------|---|---------------------------------|------|-----|
| 1 | Adequacy of Knowledge on Lab Experiments. | 950 | 950 | 100 |
| 2 | Clarity of Doubt clearing in Lab. | 950 | 950 | 100 |
| 3 | Availability of the Instructor After Lab Hours. | 950 | 950 | 100 |
| 4 | Lab Maintenance. | 950 | 950 | 100 |
| 5 | Interaction with the students in the Lab. | 950 | 950 | 100 |
| 6 | Impartial assessment of Students. | 855 | 950 | 90 |
| 7 | Discipline & Control on the Lab. | 855 | 950 | 90 |
| 8 | Planning Of Effective Lab Conduction. | 855 | 950 | 90 |
| 9 | Regular & Punctual to the lab. | 855 | 950 | 90 |
| 10 | Guiding Students in their Project. | 760 | 950 | 80 |
| Total : | | 8930 | 9500 | 94 |

HOD Review:

Good

HOD SIGNATURE

PROF & HOD

Department of Electrical & Electronics Engineering
Sapthagiri College of Engineering
Bengaluru - 560 057

Principal

Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|---|
| Instructor Name: Ms. Radhika C G | Sub.Code: 17EEL77 | Sub Name: Relay and High Voltage Laboratory |
| Section: 7 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 95 |

| Sl.No | Questions | Total Rating Out of Max per (%) | | |
|---------|---|---------------------------------|------|-----|
| 1 | Adequacy Of Knowledge on Lab Experiments. | 950 | 950 | 100 |
| 2 | Clarity of Doubt clearing in Lab. | 950 | 950 | 100 |
| 3 | Availability Of the Instructor After Lab Hours. | 950 | 950 | 100 |
| 4 | Lab Maintenance. | 950 | 950 | 100 |
| 5 | Interaction with the students in the Lab. | 950 | 950 | 100 |
| 6 | Impartial assessment of Students. | 950 | 950 | 100 |
| 7 | Discipline & Control on the Lab. | 855 | 950 | 90 |
| 8 | Planning Of Effective Lab Conduction. | 855 | 950 | 90 |
| 9 | Regular & Punctual to the lab. | 855 | 950 | 90 |
| 10 | Guiding Students in their Project. | 855 | 950 | 90 |
| Total : | | 9120 | 9500 | 96 |

HOD Review:

Good

HOD SIGNATURE

PROF & HOD

Department of Electrical & Electronics Engineering
Sapthagiri College of Engineering
Bengaluru - 560057



Principal

Sapthagiri College of Engineering
14/5, Chikkasandra, Hesarghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|---|
| Instructor Name: Ms. Radhika C G | Sub.Code: 18EEL47 | Sub Name: Electrical Machines Laboratory -2 |
| Section: 4 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 95 |

| Sl.No | Questions | Total Rating Out of Max per (%) | | |
|--------------|---|---------------------------------|-----|----|
| 1 | Adequacy Of Knowledge on Lab Experiments. | 855 | 950 | 90 |
| 2 | Clarity of Doubt clearing in Lab. | 855 | 950 | 90 |
| 3 | Availability Of the Instructor After Lab Hours. | 855 | 950 | 90 |
| 4 | Lab Maintenance. | 855 | 950 | 90 |
| 5 | Interaction with the students in the Lab. | 855 | 950 | 90 |
| 6 | Impartial assessment of Students. | 855 | 950 | 90 |
| 7 | Discipline & Control on the Lab. | 760 | 950 | 80 |
| 8 | Planning Of Effective Lab Conduction. | 760 | 950 | 80 |
| 9 | Regular & Punctual to the lab. | 760 | 950 | 80 |
| 10 | Guiding Students in their Project. | 760 | 950 | 80 |
| Total : 8170 | | 9500 | 86 | |

HOD Review:

Good


HOD SIGNATURE

PROF & HOD
Department of Electrical & Electronics Engg.
Sapthagiri College of Engineering
Bengaluru - 560057



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|---|
| Instructor Name: Mrs. Mamatha | Sub Code: 18EEL48 | Sub Name: OP-AMP and Linear IC'S Laboratory |
| Section: 4 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 90 |

| Sl.No | Questions | Total Rating | Out of Max per (%) |
|--------------|---|--------------|--------------------|
| 1 | Adequacy of Knowledge on Lab Experiments. | 900 | 100 |
| 2 | Clarity of Doubt clearing in Lab. | 720 | 80 |
| 3 | Availability of the Instructor After Lab Hours. | 900 | 100 |
| 4 | Lab Maintenance. | 720 | 80 |
| 5 | Interaction with the students in the Lab. | 900 | 100 |
| 6 | Impartial assessment of Students. | 720 | 80 |
| 7 | Discipline & Control on the Lab. | 900 | 100 |
| 8 | Planning Of Effective Lab Conduction. | 900 | 100 |
| 9 | Regular & Punctual to the lab. | 810 | 90 |
| 10 | Guiding Students in their Project. | 810 | 90 |
| Total : 8280 | | 9000 | 92 |

HOD Review:

Good


HOD SIGNATURE

Department of Electronics & Electrical Engineering
Sapthagiri College of Engineering
Bengaluru - 560 057



Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesarghatta Main Road
Bengaluru - 560 057



SAPTHAGIRI

COLLEGE OF ENGINEERING

Recognised by AICTE, New Delhi & Affiliated to VTU, Belgaum

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|-------------------------------------|
| Instructor Name: Mrs. Mamatha | Sub Code: 18EEL67 | Sub Name: Control System Laboratory |
| Section: 6 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 108 |

| Sl.No | Questions | 972 | 1080 | Total Rating Out of Max per (%) |
|---------|---|------|-------|---------------------------------|
| 1 | Adequacy of Knowledge on Lab Experiments. | 972 | 1080 | 90 |
| 2 | Clarity of Doubt clearing in Lab. | 972 | 1080 | 90 |
| 3 | Availability of the Instructor After Lab Hours. | 972 | 1080 | 90 |
| 4 | Lab Maintenance. | 972 | 1080 | 90 |
| 5 | Interaction with the students in the Lab. | 864 | 1080 | 80 |
| 6 | Impartial assessment of Students. | 864 | 1080 | 80 |
| 7 | Discipline & Control on the Lab. | 864 | 1080 | 80 |
| 8 | Planning Of Effective Lab Conduction. | 864 | 1080 | 80 |
| 9 | Regular & Punctual to the lab. | 972 | 1080 | 90 |
| 10 | Guiding Students in their Project. | 972 | 1080 | 90 |
| Total : | | 9288 | 10800 | 86 |

HOD Review:

Good

HOD SIGNATURE

PROF & HOD
Department of Electrical & Electronics Engg.
Sapthagiri College of Engineering
Bengaluru - 560057

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesarghatta Main Road
Bengaluru - 560 057

Scanned with CamScanner

Scanned with CamScanner

Individual Lab Instructor Appraisal

| | | |
|--|-------------------|---|
| Instructor Name: Mr. Ramakrishna shetty | Sub.Code: 18EEL68 | Sub Name: Digital signal Processing Laboratory -2 |
| Section: 6 th A & B (2020-21) | Department: EEE | Total Students given Feedback: 110 |

| Sl.No | Questions | Total Rating Out of Max per (%) | | |
|---------|---|---------------------------------|-------|----|
| 1 | Adequacy Of Knowledge on Lab Experiments. | 990 | 1100 | 90 |
| 2 | Clarity of Doubt clearing in Lab. | 990 | 1100 | 90 |
| 3 | Availability Of the Instructor After Lab Hours. | 990 | 1100 | 90 |
| 4 | Lab Maintenance. | 990 | 1100 | 90 |
| 5 | Interaction with the students in the Lab. | 990 | 1100 | 90 |
| 6 | Impartial assessment of Students. | 990 | 1100 | 90 |
| 7 | Discipline & Control on the Lab. | 990 | 1100 | 90 |
| 8 | Planning Of Effective Lab Conduction. | 990 | 1100 | 90 |
| 9 | Regular & Punctual to the lab. | 990 | 1100 | 90 |
| 10 | Guiding Students in their Project. | 990 | 1100 | 90 |
| Total : | | 9900 | 11000 | 90 |

HOD Review:

Good

HOD SIGNATURE

PROF & HOD

Department of Electrical & Electronics Engineering
Sapthagiri College of Engineering
Bengaluru - 560057



Principal

Sapthagiri College of Engineering
14/5, Chikkasandra, Hosurghatta Main Road
Bengaluru - 560 057