

(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ENVIRONMENTAL MANAGEMENT SYSTEM GUIDE

F-ENV-01/RO

About SCE: Sapthagiri College of Engineering campus spread over 6.5 acres in Chikkasandra, located in the Bangalore North taluk of Bangalore Urban district in Karnataka. Nearest Railway Station Chikabanavar Junction Railway station, Yesvantpur Junction railway station 10 km away and Kempegowda International Airport is 38 km. SCE campus has population about 3000 student and staff among that 401 resident, campus covered with greeneries by 109 different species. Campus adopted a very unique systematic Environmental Management plan.

Roles and Responsible for Environmental Management System in the SCE campus:




Fig: Structural Frame work of Facility Maintenance

се

Principal
Sapthagiri College of Englineering
14/5, Chikkasandra, Hesaraghata Mam Road
Bengaluru - 580 987



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ENVIRONMENTAL MANAGEMENT SYSTEM GUIDE

Role and Responsibility

F-ENV-01/RO

1. Management:

- Complete right reserved for management regarding Environmental Management System in the campus
- As per the suggestion from principal any decision can be made regarding Environmental Management System in the campus approaches and procedures so that compliance, improved performance, and sustainability

2. Principal:

- Principal has to reform committee member for every Academic year
- Principal has to overview all the facilities report annually/semester /quarterly and review will be changed based on the type of facility.
- Principal has all the rights to give Suggestion, Comments, and enforce any decision at any stages.

3. IQAC:

- As per direction of principal IQAC has to select Maintains committee member for the Academic year
- Selected member list has to be send for the principal approval
- Each report of the member has to be consolidated and consolidated report has to be submit to the principal
- Overview the facility Maintains reports
- Action taken regarding facilities maintenance report send to the principal and the decisions/opinion/ suggestion of the principal has to convey to the members of facilities maintenance

4. Member of facilities maintenances:

- Member should be from faculty of concerned department/ specialization
- Member has check the facilities as per the SOP and submit the detailed report to IQAC
- Member has to submits their report to IQAC
- Member has a rights to insists the facility operator to change the process/ time schedule/method/log book entry
- Annual report has to prepare by the member and submit to principal
- Regarding any quarry/ clarification can directly contact principal, if IQAC is fail to response

5. Facility Operator:

- Complete responsibility like operation, minor repair, reading recoding, log book maintains, take care of the facility on shoulder of facility operator
- Any requirement is required has to bring notice to the Member of facilities maintenances

Principal
Sapthagiri College of Engine
14/6, Chikkasandra, Hesaraghatta
Bangaluru - 560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ENVIRONMENTAL MANAGEMENT SYSTEM GUIDE

Objective of Environmental Management System in SCE:

F-ENV-02/RO

- Water Conservation Measures
- Energy Conservation
- Solid waste management and hazardous waste management
- Conduction of environmental issues related awareness programme and training

Target of Environmental Management System in SCE:

- > Reduce the all type waste generation in the campus
- Disposing waste which generated in campus by best way for environmental safely manner
- ➤ Use of management systems, approaches and procedures so that compliance, improved performance, and sustainability become a part of day-to-day operations
- > Awareness of sustainability and opportunities to promote sustainability

Planning of Environmental Management System in SCE:

- Water Conservation Measures
- Energy Conservation
- Solid waste management and hazardous waste management
- Conduction of environmental issues related awareness programme and training
- All planning executed stage by stage as per the review and decision made in management review

Operation & Checking of Environmental Management System in SCE:

- Environmental facilities are maintained as per SOP
- > Document are maintained as per the SOP
- CR7 Committee member are the responsible of all type EMS implementation, execution, suggestion, and for their continual improvement.
- ➤ IQAC has to act like bridge between management and members for the continual improvement and maintaining the Environmental facilities in the campus.

Principal

Sapthagiri College of Engineering

146, Chikkasandra, Hesaraghatta Mann 1996

Bengaluru - 560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

F-ENV-02/RO

ENVIRONMENTAL MANAGEMENT SYSTEM GUIDE

Management Review regarding Environmental Management System in SCE:

- > Yearly once or twice status of EMS report has to be send by IQAC to principal
- ➤ IQAC gave power to CR 7 to make EMS and to maintain relative measures like review, suggestion, status report.

General Feature in SCE campus for Environmental Management System:

- Population in the Campus: Resident in the campus: 166 (Girls hostel)+ 235 (Boys Hostel @ A block 128,@ B block107), Total Capacity: 3000 people
- Area: 6.5 Acres
- Energy Conservation: Yes(Solar plant & LED blubs)
- > Water Source for Campus: Municipal water and Deep Bore well
- ➤ Water Treatment facilities: Yes (each block have small scale RO filtration tank)
- > Waste Water Treatment unit: Yes
- > Rain water Harvesting: Yes
- Bio Degradable waste management: Yes
- E waste management & Hazardous management: Yes
- Water resource balancing: Yes (Rain water harvesting and recharge pit, Sprinkling watering method)

Environmental Indictor in the SCE

- > E-waste
- Hazardous chemical waste (by laboratory)
- Wet waste (Food waste)

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ENVIRONMENTAL MANAGEMENT SYSTEM GUIDE

Emergency Preparedness & Response:

F-ENV-04/RO

General:

- Emergency types and emergency number are displayed at common and populated places location in the campus
- > Grievance and their details also displayed at common and populated places location in the campus

Fire:

Conducting Awareness programme for student/ staff regarding fire safe procedure, instruction and measures in the campus

Chemical accidents in lab:

- Safety data sheet has to be maintained in lab for hazardous chemical
- > Safely measure and precautionary measures note board in lab

Machinery hazardous measure in labs:

- First aid kit usage and declaration in lab
- > Hazardous type, range, effect, measure and precautionary measure as well as safety information are has to be display in the lab



Standard Operating Procedure

Maintain Environmental Facilities in the Campus



Roles and Responsible




Fig: Frame work of Facility Maintenance

Principal Sapthagiri College of Engineering Bengaluru - 580 05

Principal Sapthagiri College of Engineering 14/5, Chikkasandra, Hesaraghatta Main Reed Bengaluru - 560 057



Sapthagiri College of Engineering

(Affiliated to Visvesvaraya Technological University, Belgaum & Approved by AICTE, New Delhi) (ISO 9001 : 2015 & 14001 : 2015 Certified Institution)

Standard Operating Procedure to

Maintain Environmental Facilities in the Campus



Role and Responsibility

1. Principal:

- · Principal has to reform committee member for every Academic year
- Principal has to overview all the facilities report annually/semester /quarterly and review will be changed based on the type of facility.
- Principal has all the rights to give Suggestion, Comments, and enforce any decision at any stages.

2. IQAC:

- · As per direction of principal IQAC has to select Maintains committee member for the Academic year
- · Selected member list has to be send for the principal approval
- Each report of the member has to be consolidated and consolidated report has to be submit to the principal
- · Overview the facility Maintains reports
- Action taken regarding facilities maintenance report send to the principal and the decisions/opinion/ suggestion of the principal has to convey to the members of facilities maintenance

3. Member of facilities maintenances:

- Member should be from faculty of concerned department/ specialization
- Member has check the facilities as per the SOP and submit the detailed report to IQAC
- · Member has to submits their report to IQAC
- Member has a rights to insists the facility operator to change the process/ time schedule/method/log book entry
- Annual report has to prepare by the member and submit to principal
- · Regarding any quarry/ clarification can directly contact principal, if IQAC is fail to response


4. Facility Operator:

- Complete responsibility like operation, minor repair, reading recoding, log book maintains, take care of the facility on shoulder of facility operator
- · Any requirement is required has to bring notice to the Member of facilities maintenances

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Read
Bengaturu - 560 557



Standard Operating Procedure





Member of facilities maintenances

Metric No	Fa	aculty Details	Facilities	Signature
1	Convener	Dr. Jagadesh Gowda G V		
2	Co-ordinator	Mrs. Shashikala B S	20000	
3	Co-ordinator	Mr. Dhruvaraj M S	 Sewage Treatment Plant, Composter, Bio digester, Rain Water Harvesting, Solid waste Management, Bio Hazardous was Management, Water recyclin Maintenance of water bodies and distribution system in the campus, Green Campus, Restricted entry of automobiles, Use of bicycles/ Battery-powered vehicles, Pedestrian-friendly pathways, Ban on use of plastic, Landscaping, Use of bicycles/ Battery-powered vehicles 	
4	Member	Mr.Gnanendra D S	Solar Power plant	
5	Member	Mr. Akshay J	Disabled- friendly, barrier free environment Built environment	


Principal Sapthagiri College of Engineering 14/5, Chikkasandra, Hesaraghatta Main Read Bengakuru - 550 057



Sapthagiri College of Engineering

(Affiliated to Visvesvaraya Technological University, Belgaum & Approved by AICTE, New Delhi) (ISO 9001: 2015 & 14001: 2015 Certified Institution)

Standard Operating Procedure





Log sheet maintained by IQAC

Sl.No	Name of the Facility	Facility Member	Sign	ature	Date &	Remarks (d)
			On Received (a)	On Submitted (b)	Time (c)	
						7 18- 4
7, 3						
				2		

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester 'a' Column : IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Log sheet maintained by Member

Sl.No	Name of the	Name of	Sign	ature	Visited Date &	Remarks (h)
	Facility Operator	the Facility	Remarks Received (e)	Remarks Submitted (f)	Time (g)	
VET I						
						4.
		EH 1				
						- <u>lı</u>

Note:

'e' Column : Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

'f' Column : Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be fined by Facility Operator/ Member of Facility.

Principal Sapthagiri College of Engineering 14/5, Chikkasandra, Hessraghatta Main Roso Bengaturu - 580 057



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

				Stat	us of	Facilities	1		Sign	ature	D	
Sl.No	Name of the Facility	Name of the Facility Member		orking idition		Main	tenan	ces	On Received	On Submitted	Date & Time (c)	Remarks (d)
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)		
1	Sewage Treatment Plant											
2	Composter											
3	Bio digester					1 apr 3					4	4
4	Rain Water Harvesting											
5	Solid waste Management	Mr. Dhruvaraj M S										1 4
6	Bio Hazardous waste Management		7				-12					
7	Water recycling Maintenance of water bodies and distribution system in the campus											
8	Green Campus		7 5 6									

Note(if any):

IAQC-AQAR

Principal
Sapthagiri College of Engineering
14/5, Chikkasandrs, Hesaraghatta Main Road
Bengaluru - 560 057

Principal



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

				Sta	tus of	Facilities			Sign	ature	Data 6	
Sl.No	Name of the Facility	Name of the Facility Member		orking ndition		Maintenances		On Received	On Submitted	Date & Time (c)	Remarks (d)	
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)	(c)	
9	Solar Power plant	Mr. Gnanendra D S										
10	Restricted entry of automobiles											
11	Use of bicycles/ Battery-powered vehicles	Mr. Dhruvaraj M S		6,7,8				Т				
12	Pedestrian-friendly pathways	Activities of the Control of the Con										
13	Ban on use of plastic								To the second		2	
14	Landscaping											
15	Disabled- friendly, barrier free environment Built environment	Mr. Akshay J		i i					ţ			

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column : IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column: Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

Principal
Sapthagiri College of Engineering
14/5, Chikkasasasa Hesaraghatta Main Road
Bengaluru - 560 057

Principal



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

Log sheet maintained by Member

S1. No	Name of the Facility	Signa	iture	Visited Date & Time	Remarks/ Name of the Facility Operator	
		Remarks Received (e)	Remarks Submitted (f)	(g)	(h)	
1.	Sewage Treatment Plant		1624			
2.	Composter					
3.	Bio digester					
4.	Rain Water Harvesting					
5.	Solid waste Management					
6.	Bio Hazardous waste Management					
7.	Water recycling Maintenance of water bodies and distribution system in the campus					
8.	Solar Power cell	4	L			
9.	Restricted entry of automobiles					
10.	Use of bicycles/ Battery-powered vehicles					
11.	Pedestrian-friendly pathways					
12.	Ban on use of plastic	71-				
13.	Landscaping					
14.	Disabled- friendly, barrier free environment Built environment	4				

^{&#}x27;e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

Note(if any):

IAQC-AQAR

Principal

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

^{&#}x27;f Column : Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

^{&#}x27;g' Column : Member has to note time/ Date on visiting the facility

^{&#}x27;h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

.

Date of sampling

:

Time of Sampling

.

Date of Analysis

:

Test Result

Parameter	Desirable	Permissible		7	'ested	result	s		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable							
Taste	Agre	eable		16					
Turbidity, NTU, Max	5	10							
pH Value	6.5-8.5								
Alkanity, mg/L, Max	200	600				11			
Total Hardness (as CaCO3), Mg/L,Max	300	600							
Iron (as Fe), Mg/L,Max	0.3	1.0							
Chloride (as Cl), Mg/L,Max	250	1000							
Residual free chlorine, mg/L, Max	0.2								
Total Coliform Organism, MPN/100 ml	50 or less								

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL


3iri College of Engineering 44/5, Chikkasandra, Hesaraghatta Main Road Bengaluru - 560 057



Sapthagiri College of Engine Ering
14/5, Chikkasandra, Hesaraghatta main roud, Bengaluru-560057
(Affiliated to Visvesvaraya Technological University, Belgaum & Approved by AICTE, New Delhi)
An ISO 9001:2015 Certified Institute

Department of Civil Engineering

-	D 11 4 2 14
	A Excellent quality
	H Good health level quality
ty	H below health level qua
	Not fit for drinking
-	Objectionable for usage





Standard Operating Procedure Maintain Environmental Facilities in the Campus



For the Academic Year:

		Tana Yana		Statu	s of	Faciliti	es		Sign	ature	Date	Daman
	Name of the Facility	Name of the Facility Member	Working Condition		g n	Maintenances		ices	On Received	On Submitte	& Time	Remar ks (d)
			Excelle nt	Goo d	Poo r	Excelle nt	Goo d	Po or	(a)	d (b)	(c)	(a)
1	H 1											
2	إللآنيانا											
3												
4												
5	1.0											1
6												
7												
8											1 1	

IAQC-AQAR

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column: IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member
'f Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility
'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Principle

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesareghatta Main Road
Bengaturu - 560 957



Standard Operating Procedure Maintain Environmental Facilities in the Campus



BIO COMPOSTER - Maintenances sheet

Date	Time	Qty of Dry waste in Kg	Qty of Microbes in packet	Cleaning of tank	FEED TYPE	Remarks/ Sign of Evaluator / Operator
						7 7 -
		DI EUE	10.11			
	H	1 1				
	ILLY W					
		7.				
					1	
					T	

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Read
Bengakuru - 566 657



Standard Operating Procedure Maintain Environmental Facilities in the Campus




Sanitary Incinerator - Maintenances sheet

Date	Time	On collection of Dry waste (Ash)	Cleaning of tank	Remarks/ Sign of Evaluator /Operator
				N V

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Heeeraghatta Main Road
Bengaturu - 560 057



Standard Operating Procedure





E waste - Maintenances sheet

Date	Time	Type of E waste Collected	No of Quantity	Condition /Status of E waste	Remarks/ Sign of Evaluator /Operator
					111

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Heesraghetta Main Road
Bengaluru - 580 057



Standard Operating Procedure





Log Sheet Maintained by Bio-Digester Facility Operator

Bio Digestor DAILY LOG BOOK, SAPTHAGIRI COLLEGE OF ENGINEERING, Bengaluru

DATE:

Shift	Degra	d of idable iste	Inlet Quantity in KG Bacterial feed Turning Gas Collect		ollection	Qty of	Compost	Tank	Wash			
1st	Start	Close		Date	Qty	Date	Date	Qty	Date	Qty in KG	Date	Time
7:00												
8:00												
9:00												
10:00												
11:00	121								4.1			
12:00												
13:00												
14:00												
15:00				F) 16.23		0	A					
16:00												
17:00	į											400
18:00												
19:00												
20:00										1		
21:00												
22:00												
23:00							1					
0:00												
1:00		de nes					44.4					
2:00												
3:00		li .					5 1					
4:00												
5:00												
6:00												
Operato	r Name	& Signa	iture		Engine	er Signatur	e		Remar	ks:		
1st S												
2nd S	Shift		124									
3rd S	hift											



Principal
Sapthagiri College of Engineering
18/5, Chikkasandra, Hesaraghetta Main Road
Bengaluru - 560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



Date: 07/09/2020

CIRCULAR

All the members of NAAC Criteria 7 committee are here by informed to attend the meeting on 09/09/2020, Saturday at 1:30 P.M in Civil seminar hall to discuss the present status & plans of Environmental consciousness facilities in campus.

Convener

Principal
Sapthagiri College of Engineering
14/5, Chikkseendra, Hesaraghata Melm Read
Benesture - 566 057





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	4
7.0	Co-ordinator	Mr. Dhruvaraj M S	
7.0	Co-ordinator	Mrs. Shashikala B S	
7.1.1	Member	Ms. Kavya H P	Karl
7.1.2	Member	Mr.Gnanendra D S	9
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	A Sol
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	3/
7.1.7	Member	Mr. Akshay J	A
7.1.8	Member	Dr.Devaraja C	#
7.1.9	Member	Mrs. Geetha T S	Goo
7.1.10	Member	Mrs. Shashikala B S	A
7.1.11	Member	Mrs. Suma N G	Cura
7.2.1	Member	Mrs. Pallavi G A	& aulys
7.3.1	Member	Mr. Mahesh D	m

GENERAL POLICE PROPERTY DESCRIPTION OF THE RESERVE OF THE PROPERTY OF THE PROP





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

Minutes of the Meeting

Meeting Information

Objective: Meeting to discuss the present status & plans of Environmental

consciousness facilities in campus

Date:

09-09-2020

Location:

criteria 7 Head chamber

Time:

1.30 P.M

Meeting Type:

NAAC -IQAC

Called By:

Criteria 7 Head/

Convener

Ag	enda Items	Presenter Criteria Head Criteria Head	Ta
1	Present condition & plan of Environmental consciousness facilities in campus	Criteria Head	
2	Any other matter, if any	Criteria Head	

Regarding green, environment & energy audit

Decisions

- 1 Discussed on environment, energy audit.
- 2 Condition of Present condition & plan of Environmental consciousness facilities in campus

Ne	w Action Items	Responsible	
1	The suggestion mentioned in the Audit report has to adopted	Management	

Other Notes &Information

Convener briefed about forming of Environmental consciousness facilities in campus. Respective coordinator are hand over the maintains report to Convener and for committee members and facilities report says that all the Environmental consciousness facilities, disabled friendly, barrier free environment Built environment & Green campus initiatives in campus maintained and all are working above the benchmark, set institutions. Discussed on environment, energy audit and Convener gave instruction to member to take necessary steps. In the meeting the all campus faculties report are verified and finalized by the member and Convener agreed for final approval and report send to IQAC committee.

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main
Bengahuru - 560 067





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	
7.0	Co-ordinator	Mr. Dhruvaraj M S	
7.0	Co-ordinator	Mrs. Shashikala B S	
7.1.1	Member	Ms. Kavya H P	Carlo
7.1.2	Member	Mr.Gnanendra D S	9
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	20
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	De Soul
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	D 34
7.1.7	Member	Akshay J	A
7.1.8	Member	Dr.Devaraja C	1
7.1.9	Member	Mrs. Geetha T S	Geor
7.1.10	Member	Mrs. Shashikala B S	(A)
7.1.11	Member	Mrs. Suma N G	Simon
7.2.1	Member	Mrs. Pallavi G A	Re an GD
7.3.1	Member	Mr. Mahesh D	an

The second of th



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year: 2020 -21

				Stat	us of	Facilities	3		Sign	ature	D	
SI.No	Name of the Facility	Name of the Facility Member	Working Condition		Maintenances		ces	On Received	On Submitted	Time (c)	Remarks (d)	
	318Y 30 00 11/12		Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)	27.75	
1	Sewage Treatment Plant			_		J	/					
2	Composter			~			_				9/9/20	
3	Bio digester			/			_	\$			Marco	
4	Rain Water Harvesting						/					
5	Solid waste Management	Mr. Dhruvaraj M S		V			/					
6	Bio Hazardous waste Management		1	/							-	
7	Water recycling Maintenance of water bodies and distribution system in the campus											
8	Green Campus			~					12.			

Note(if any):

Sapthagiri College of Engineering Bengaluru - 560 057. Principal

Přincipal
Sapthagiri College of Enginee 109
14/5, Chikkesandra, Hesaraghatti (14/5) Bengahru - 566 85/



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

				Sta	tus of	Facilities			Sign	ature	Date &	
Sl.No	Name of the Facility	Name of the Facility Member		Working Condition		Maintenances		On Received	On Submitted	Time (c)	Remarks (d)	
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)	8.2	
9	Solar Power plant	Mr. Gnanendra D S		~						0	9/9/20	
10	Restricted entry of automobiles	. Mr. Dhruvaraj M S								a	वि वीरम	
11	Use of bicycles/ Battery-powered vehicles								PO 5	A	٩١٩	
12	Pedestrian-friendly pathways			0						Ď	9/2	
13	Ban on use of plastic						V			P	9/9/20	
14	Landscaping										9/9/10	
15	Disabled- friendly, barrier free environment Built environment	Mr. Akshay J						- 6		AF	galo	

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column: IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

IAQUAQAR
IQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.

Principal
Principal
Sapthagiri College of Engineering
14/5, Chikkesendra, Hesemahette Meth Road
Bengehoru - Set 857



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

Log sheet maintained by Member

S1. No	Name of the Facility	Signa	ature	Visited Date & Time	Remarks/ Name of the Facility Operator		
		Remarks Received (e)	Remarks Submitted	(g)	(h)		
1.	Sewage Treatment Plant		a de la	8920			
2.	Composter		2	9/9/20			
3.	Bio digester		A.A	V9/20			
4.	Rain Water Harvesting		200	8/9/20			
5.	Solid waste Management		No.	8/9/20			
6.	Bio Hazardous waste Management		- D	9/9/20			
7.	Water recycling Maintenance of water bodies and distribution system in the campus		A	1/9/20			
8.	Solar Power cell		A	9/9/20			
9.	Restricted entry of automobiles			2/9/20			
10.	Use of bicycles/ Battery-powered vehicles		A R	2/2/20			
11.	Pedestrian-friendly pathways		R A	1/9/20			
12.	Ban on use of plastic			2/9/20			
13.	Landscaping			7/9/20			
14.	Disabled- friendly, barrier free environment Built environment		The second second	0/9/00			

^{&#}x27;e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

Note(if any):

IAOC-AOAR
IQAC Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057,

Principal
Principal
Sapthagiri College of Engineering
14/5, Chikkesendra, Heserochatts Mein Poud
Bengehru - Joli 057

^{&#}x27;f' Column: Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

^{&#}x27;g' Column : Member has to note time/ Date on visiting the facility

^{&#}x27;h' Column: Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

Date: 11/10/2020

CIRCULAR

All the members of NAAC Criteria 7 committee are here by informed to attend the Emergency meeting to be held on 28/11/2020, Thursday at 12:30 P.M in Civil seminar hall.

Convener

Principal
Sapthagiri College of Engineering
14/5, Chikkesendra, Hesemehette Main Road
Bengahuru - 560 957

E





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	9
7.0	Co-ordinator	Mr. Dhruvaraj M S	
7.0	Co-ordinator	Mrs. Shashikala B S	A)
7.1.1	Member	Ms. Kavya H P	James
7.1.2	Member	Mr.Gnanendra D S	9
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	272
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	D Sor
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	Sar
7.1.7	Member	Mr.Akshay J	A
7.1.8	Member	Dr.Devaraja C	1
7.1.9	Member	Mrs. Geetha T S	Gene
7.1.10	Member	Mrs. Shashikala B S	(A)
7.1.11	Member	Mrs. Suma N G	Jima
7.2.1	Member	Mrs. Pallavi G A	Do any A
7.3.1	Member	Mr. Mahesh D	MD





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

Minutes of the Meeting - Restarting of STP work

Meeting Information

Objective:

Emergency meeting to restart the STP PLANT

Date:

28-03-2021

Location

:criteria 7 Head chamber

Time:

12.30 P.M

Meeting Type:

NAAC -IQAC

Called By:

Criteria 7 Head/

Convener

Agenda Items Presenter

1 Restarting of STP work which has been stopped from 22/03/2020. Criteria Head

2 Any other matter, if any

Criteria Head

Decisions

1 To activate the sewage treatment plant & Bio digester.

N	ew Action Items	Responsible
1	Activate the sewage treatment plant & Bio digester.	Facility operator

Other Notes &Information

Convener briefed about steps to take for Environmental consciousness facilities in campus. Respective coordinator gave suggestion to Reopen the waste water treatment facility, because now student are attending the class so sufficient of inflow may achieve. so the treatment unit and treatment unit can work. Regarding the Bio Digester also has to close presently and it can be open if the sufficient waste generate from the hostel decision left to hostel warden. While reopening treatment unit follow the necessary protocol for safe open and run. Remaining facilities all are too maintained in the same cycle of process. In the meeting the all campus faculties report are verified and finalized by the member and Convener agreed for final approval and report send to IQAC committee

Principal
Sapthagiri College of Engineering
14/5, Chikkesendra, Hesser

Ev





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)


ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	1
7.0	Co-ordinator	Mr. Dhruvaraj M S	Q)
7.0	Co-ordinator	Mrs. Shashikala B S	M
7.1.1	Member	Ms. Kavya H P	taut
7.1.2	Member	Mr.Gnanendra D S	Sex
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	P. C.
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	00
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	30
7.1,6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	2 38
7.1.7	Member	Mr.Akshay J	A
7.1.8	Member	Dr.Devaraja C	8
7.1.9	Member	Mrs. Geetha T S	Gar
7.1.10	Member	Mrs. Shashikala B S	(A)
7.1.11	Member	Mrs. Suma N G	Cima
7.2.1	Member	Mrs. Pallavi G A	Por an QA
7.3.1	Member	Mr. Mahesh D	MD





(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year: 2020-21

				Stat	us of	Facilities	i		Sign	ature	Date &		
Sl.No	Name of the Facility	Name of the Facility Member	Working Condition			Main	tenan	ces	On Received	On Submitted	Time (c)	Remarks (d)	
		100	Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)			
1	Sewage Treatment Plant)4					Recommed to stop	
2	Composter			~			~					STP function dur to Lack door * Conjude it Brodiged sum acco to worden	
3	Bio digester			L			~~				28/11/20		
4	Rain Water Harvesting			L			/						
5	Solid waste Management	Mr. Dhruvaraj M S		0			~						
6	Bio Hazardous waste Management			~			/						
7	Water recycling Maintenance of water bodies and distribution system in the campus		4	U								2 hads	
8	Green Campus						V						

Note(if any):

IAOC-ARRIVATOR IQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.

Principal
Principal
Sapthagiri College of Engineering
14/5, Chiktasendra, Heseraghatta Mein Read
Bengaturu - 566 957



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

Sl.No	Name of the Facility	Name of the Facility Member	Status of Facilities					Signature		Data 6		
			Working Condition		Maintenances		On Received	On Submitted	Date & Time (c)	Remarks (d)		
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)	30-1	
9	Solar Power plant	Mr. Gnanendra D S		_						4	25/11/20	
10	Restricted entry of automobiles	Mr. Dhruvaraj M S		~						Q	28/11/20	
11	Use of bicycles/ Battery-powered vehicles			/			V	-4-		A	27/11/20	
12	Pedestrian-friendly pathways			~			V			Q	20/1/20	
13	Ban on use of plastic			V			V			A	20/11/20	
14	Landscaping			0			V		- y-	(1)	28/1/20	90 Maria
15	Disabled- friendly, barrier free environment Built environment	Mr. Akshay J		L			V			* B	25/11/20	

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column : IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

IQAC - Co-ordinator Sapthagiri College of Engineering Bengaluru - 560 057, Principal

Principal
Sapthagiri Cellege of Engineering
14/5, Chikkasendra, Hesaranholt air Tord

Bengaturu - 561 15



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

Log sheet maintained by Member

S1. No	Name of the Facility	Signa	ature	Visited Date & Time	Remarks/ Name of the Facility Operator	
		Remarks Received (e)	Remarks Submitted	(g)	(h)	
1.	Sewage Treatment Plant		4	27/11/20		
2.	Composter		FIA	27/11/20		
3.	Bio digester		13 %	26/11/20		
4.	Rain Water Harvesting		098	26/11/10		
5.	Solid waste Management		000	27/11/20		
6.	Bio Hazardous waste Management		100	26 11/20		
7.	Water recycling Maintenance of water bodies and distribution system in the campus		8.	27/11/20		
8.	Solar Power cell		0 8	26/11/20		
9.	Restricted entry of automobiles		18	27/11/20		
10.	Use of bicycles/ Battery-powered vehicles		- B	27/1/20		
11.	Pedestrian-friendly pathways		A 0	2/11/20		
12.	Ban on use of plastic		10 8	97/11/20		
13.	Landscaping		18	97/11/20		
14.	Disabled- friendly, barrier free environment Built environment		1	26/11/20		

^{&#}x27;e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

Note(if any):

IAQC-AQAR
TQAC - Co-ordinator
Sapthagiri College of Ensangering
Bengaluru - 560 057,

Principal
Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hasaraghatta Mein Road
Rengaturu - 560 657

^{&#}x27;f' Column: Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

^{&#}x27;g' Column: Member has to note time/ Date on visiting the facility

^{&#}x27;h' Column: Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

Date: 11/02/2021

CIRCULAR

All the members of NAAC Criteria 7 committee are here by informed to attend the meeting on 13/02/2021, Saturday at 1:30 P.M in Civil seminar hall to discuss the present status & plans of Environmental consciousness facilities in campus.

Convener

Sapthagiri College of Engineering 14/5 Chikkasendra, Hesaraghetta Main Reap Bangahuru - 560 (18)





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.

Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	
7.0	Co-ordinator	Mr. Dhruvaraj M S	De la companya della companya della companya de la companya della
7.0	Co-ordinator	Mrs. Shashikala B S	del
7.1.1	Member	Ms. Kavya H P	Karl
7.1.2	Member	Mr.Gnanendra D S	
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	DV.
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	200
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	D So
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	8 30
7.1.7	Member	Mr. Akshay J	H
7.1.8	Member	Dr.Devaraja C	\$
7.1.9	Member	Mrs. Geetha T S	God
7.1.10	Member	Mrs. Shashikala B S	(A)
7.1.11	Member	Mrs. Suma N G	Suna.
7.2.1	Member	Mrs. Pallavi G A	Dana
7.3.1	Member	Mr. Mahesh D	mo

THE RESERVE THE PARTY OF THE PA





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengalúru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

Minutes of the Meeting

Meeting Information

Objective: Meeting hall to discuss the present status & plans of Environmental

consciousness facilities in campus

Date:

13-02-2021

Location

:criteria 7 Head chamber

Time:

10.30 P.M

Meeting Type:

NAAC -IQAC

Called By:

Criteria 7 Head/

Convener

Ag	genda Items	Presenter		
1	Present condition & plan of Environmental consciousness facilities in campus	Criteria Head		
2	Any other matter, if any	Criteria Head		

Decisions

1 Condition of Present condition & plan of Environmental consciousness facilities in campus

Other Notes &Information

Convener briefed about forming of Environmental consciousness facilities in campus. Respective coordinator are hand over the maintains report to Convener and for committee members and facilities report says that all the Environmental consciousness facilities, disabled friendly, barrier free environment Built environment & Green campus initiatives in campus maintained and all are working above the benchmark, set institutions. Discussed on environment, energy audit and Convener gave instruction to member to take necessary steps. In the meeting the all campus faculties report are verified and finalized by the member and Convener agreed for final approval and report send to IQAC committee.

Principal
Septhagiri College of Engineering
14/5, Chikkesstora, Hesarachette Mein **
Sengebru - 550 057





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	F	aculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	
7.0	Co-ordinator	Mr. Dhruvaraj M S	
7.0	Co-ordinator	Mrs. Shashikala B S	do
7.1.1	Member	Ms. Kavya H P	Karuf
7.1.2	Member	Mr.Gnanendra D S	St.
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	BR
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	SIA
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	Sal
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	D Ser
7.1.7	Member	Mr. Akshay J	A
7.1.8	Member	Dr.Devaraja C	B
7.1.9	Member	Mrs. Geetha T S	Curs
7.1.10	Member	Mrs. Shashikala B S	(2)
7.1.11	Member	Mrs. Suma N G	Cima
7.2.1	Member	Mrs. Pallavi G A	Rances
7.3.1	Member	Mr. Mahesh D	MO



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year: 2020-21

				Stat	us of	Facilities	3		Sign	ature	-	
Sl.No	Name of the Facility	Name of the Facility Member	Working Condition			Maintenances			On Received	On Submitted	Date & Time (c)	Remarks (d)
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)	(-)	
1	Sewage Treatment Plant			/			~					
2	Composter			/			/					
3	Bio digester			~			V			A	bl.1	
4	Rain Water Harvesting						/				13/2/21	
5	Solid waste Management	Mr. Dhruvaraj M S		/								7.
6	Bio Hazardous waste Management		E	/			V					
7	Water recycling Maintenance of water bodies and distribution system in the campus						/					
8	Green Campus	1								1		- 1

Note(if any):

IQAC - Co-ordinator
Sapthagiri College of Engineer
Bengaluru - 560 95.

Principal
Principal
Agiff College of Enginer

Bangaturu - 561 1.5



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi) ISO 9001:2015 and 1400:2015 Certifited Institute. 14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

				Sta	tus of	Facilities			Sign	ature	Date &	
Sl.No	Name of the Facility	Name of the Facility Member	900	Working Condition		Maintenances		es	On Received	On Submitted	Time (c)	Remarks (d)
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)		
9	Solar Power plant	Mr. Gnanendra D S		~			/			9	13/2/21	
10	Restricted entry of automobiles	Mr. Dhruvaraj M S		~						D	13/2/21	
11	Use of bicycles/ Battery-powered vehicles						V			D	3/2/41	
12	Pedestrian-friendly pathways			V			V			D.	13/2/21	
13	Ban on use of plastic			~		1 4	V			P	13/2/21	
14	Landscaping			V			V	15		B	13/2/21	3.11
15	Disabled- friendly, barrier free environment Built environment	Mr. Akshay J		The state of the s			V			Af	15/2/1	

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column: IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column: Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

IAQUADAR
IQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.

Principal

Sapthagiri College of Engineering



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

Log sheet maintained by Member

S1. No	Name of the Facility	Signa	ature	Visited Date & Time	Remarks/ Name of th Facility Operator	
		Remarks Received (e)	Remarks Submitted	(g)	(h)	
1.	Sewage Treatment Plant		2	12/2/21		
2.	Composter		1	12/2/21		
3.	Bio digester		A8 -	12/2/21	The second second	
4.	Rain Water Harvesting		A (V2)	12/21/21		
5.	Solid waste Management		10 CM	142/21		
6.	Bio Hazardous waste Management	يو مقيما المرز	(A) (A)	12/2/21		
7.	Water recycling Maintenance of water bodies and distribution system in the campus		200	12/2/21	- H. (4)	
8.	Solar Power cell			12/2/21		
9.	Restricted entry of automobiles		180	12/2/28		
10.	Use of bicycles/ Battery-powered vehicles		1	12/2/21		
11.	Pedestrian-friendly pathways		0 000	12/2/21		
12.	Ban on use of plastic		A.	12/2/21		
13.	Landscaping		10	12/2/21		
14.	Disabled- friendly, barrier free environment Built environment		a a	12/21		

^{&#}x27;e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

Note(if any):

Sapthagiri College or L Bengaluru - 560 057. Principal
Principal
Sapthagiri College of Engineering
14/5, Chikkasendra, Heseraghatta Math Read
Sengaturu - 560 657

^{&#}x27;f' Column: Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

^{&#}x27;g' Column : Member has to note time/ Date on visiting the facility

^{&#}x27;h' Column: Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year: 2020-21

				Stat	us of	Facilities			Sign	ature	Data 6	
Sl.No	Name of the Facility	Name of the Facility Member	Working Condition			Maintenances			On Received	On Submitted	Date & Time (c)	Remarks (d)
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)		
1	Sewage Treatment Plant			/			-					
2	Composter			0			/					
3	Bio digester			~								
4	Rain Water Harvesting			V			V		¥	A	28/2/21	
5	Solid waste Management	Mr. Dhruvaraj M S		V			~			• 11	γ, τ	
6	Bio Hazardous waste Management			V								
7	Water recycling Maintenance of water bodies and distribution system in the campus			V			V					
8	Green Campus		V			V						

Note(if any):

TQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.

Principal

Principal
Sapthagiri College of Engine 1100
14/6, Chikkesandra, Hesemphalia 16/00 Food
Bengahiru - 560 087



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

For the Academic Year:

			-	Sta	tus of	Facilities		-	Sign	ature	D-4- 0	
Sl.No	Name of the Facility	Facility Member	100/06	Working Condition			Maintenances			On Submitted	Date & Time (c)	Remarks (d)
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)		4 1
9	Solar Power plant	Mr. Gnanendra D S		/			/			28/3/21	-	- 3
10	Restricted entry of automobiles			V			~		,	28/3/21/8	A	
11	Use of bicycles/ Battery-powered vehicles	Mr. Dhruvaraj M S		V				4		10/s/W	A.	
12	Pedestrian-friendly pathways									8/3/Mg	2	ay and
13	Ban on use of plastic			/			1			28/3/48	A	
14	Landscaping						V	10		13/2/40	*	F
15	Disabled- friendly, barrier free environment Built environment	Mr. Akshay J		V		•	/			24/3/M	2	

Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column : IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

IAQC-AQAR
IQAC - Co-ordinator
Sapthagiri College of Engineerin,
Bengaluru - 560 057.

Principal
Principal
Sapthagiri College of Engineering
14/5, Chikkasendra, Hesaragnatta Main Read
Bengahuru - 566 957



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)
ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD, BENGALURU-560 057



Maintenance Report of Environmental Facilities in the Campus

Log sheet maintained by Member

SI. No	Name of the Facility	Sign	ature	Visited Date & Time	Remarks/ Name of the Facility Operator
		Remarks Received (e)	Remarks Submitted	(g)	(h)
1.	Sewage Treatment Plant		A O	26321	
2.	Composter		0 8	96/1/21	
3.	Bio digester		95	24/8/14	
4.	Rain Water Harvesting		78	27/314	
5.	Solid waste Management		18 0	2213121	
6.	Bio Hazardous waste Management		1	21/314	
7.	Water recycling Maintenance of water bodies and distribution system in the campus		Bb	Walu	
8.	Solar Power cell		2	21/3/21	
9.	Restricted entry of automobiles		100	07/2/21	
10.	Use of bicycles/ Battery-powered vehicles		B	24/3/21	
11.	Pedestrian-friendly pathways	- 74-1 3	18	21/3/21	
12.	Ban on use of plastic		AS .	27/3/21	
13.	Landscaping		A	30/3/21	
14.	Disabled- friendly, barrier free environment Built environment		B	21/3/21	in all a

^{&#}x27;e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign

Note(if any):

IQAC - Co-ordinator Sapthagiri College of Engineering Bengalury - 560 057. Principal Principal

Sapthagiri College of Enginer and 246

Bengghiri a

^{&#}x27;f' Column : Facility Operator has to do the sign, after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

^{&#}x27;g' Column : Member has to note time/ Date on visiting the facility

^{&#}x27;h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
18O 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

Date: 21/07/2021

CIRCULAR

All the members of NAAC Criteria 7 committee are here by informed to attend the meeting on 23/07/2021, Friday at 1:30 P.M in Civil seminar hall to discuss the present status & plans of Environmental consciousness facilities in campus.

Convener

Principal
Sapthagiri College of Engineering
14/5, Chikkasendra, Heseraghatte Main Road
Bengahuru - 560 057





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No	E.E.	Faculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	3
7.0	Co- ordinator	Mr. Dhruvaraj M S	D.
7.0	Co- ordinator	Mrs. Shashikala B S	100
7.1.1	Member	Ms. Kavya H P	Kanth
7.1.2	Member	Mr.Gnanendra D S	Sq
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	NZ.
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	RTZ
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	R Soul
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	D Sol
7.1.7	Member	Mr.Akshay J	A
7.1.8	Member	Dr.Devaraja C	
7.1.9	Member	Mrs. Geetha T S	Gran
7.1.10	Member	Mrs. Shashikala B S	(A)
7.1.11	Member	Mrs. Suma N G	ania
7.2.1	Member	Mrs. Pallavi G A	Po an 90
7.3.1	Member	Mr. Mahesh D	MD





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

Minutes of the Meeting

Meeting Information

Objective:

Meeting to discuss the present status & plans of Environmental

consciousness facilities in campus

Date:

23/07/2021

Location:

Criteria 7 Head chamber

Time:

1.30 PM

Meeting Type:

NAAC -IQAC

Called By:

Criteria 7 Head or

Convener

Agenda Items
Presenter

Present condition & plan of Environmental consciousness facilities in campus

Any other matter, if any
Criteria Head

Regarding green, environment & energy audit

Decisions

- Discussed on environment, energy audit.
- 2 Condition of Present condition & plan of Environmental consciousness facilities in campus

New Action Items Responsible

1 The suggestion mentioned in the Audit report has to adopted Ma

Management

Other Notes &Information

Convener briefed about forming of Environmental consciousness facilities in campus. Respective coordinator are hand over the maintains report to Convener and for committee members and facilities report says that all the Environmental consciousness facilities, disabled friendly, barrier free environment Built environment & Green campus initiatives facilities in campus maintained and all are working above the benchmark, set institutions. Discussed on environment, energy audit and Convener gave instruction to member to take necessary steps. Policies document & SOP for all the Environmental consciousness facilities are maintained. In the meeting all campus facilities report are verified and finalized by the members and Convener agreed for final approval and report sent to IQAC committee.

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Heseraghatta Main Road
Bengaluru - 560 057





(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

ATTENDED LIST OF FACULTY

Metric No]	Faculty Details	Signature
7.0	Convener	Dr. Jagadesh Gowda G V	3
7.0	Co-ordinator	Mr. Dhruvaraj M S	
7.0	Co-ordinator	Mrs. Shashikala B S	M
7.1.1	Member	Ms. Kavya H P	Kamoth
7.1.2	Member	Mr.Gnanendra D S	9
7.1.3	Member	Mr. Dhruvaraj M S and Mr. Pramod K R	
7.1.4	Member	Mr. Dhruvaraj M S and Mr.Pramod K R	QV
7.1.5	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	Q 300
7.1.6	Member	Mr. Dhruvaraj M S and Mrs. Sanjana G M	A Sa
7.1.7	Member	Mr.Akshay J	EAT
7.1.8	Member	Dr.Devaraja C	B
7.1.9	Member	Mrs. Geetha T S	Gren
7.1.10	Member	Mrs. Shashikala B S	A
7.1.11	Member	Mrs. Suma N G	Suya
7.2.1	Member	Mrs. Pallavi G A	for GA
7.3.1	Member	Mr. Mahesh D	M



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi)

(Accredited by NAAC with 'A' Grade) & ISO 9001:2015 and 1400:2015 Certifited Institute.

14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD

BENGALURU-560 057



Maintain Environmental Facilities in the Campus

For the Academic Year: 2020-21

				Stat	us of l	Facilities			Sign	ature	Date &	Domonico
Sl.No	Name of the Facility	Name of the Facility Member	1	orking idition		Maintenances		On Received	On Submitted	Time (c)	Remarks (d)	
			Excellent	Good	Poor	Excellent	Good	Poor	(a)	(b)		
. 1	Sewage Treatment Plant	Mr Dhruvaraj M S		4			~					
2	Composter	Mr.Dhruvaraj M S		~			V					
3	Bio digester	Mr Dhruvaraj M S		v			1					į.
4	Rain Water Harvesting	Mr Dhruvaraj M S		V			V				23/01/21	
5	Solid waste Management	Mr Dhruvaraj M S		V			V					
6	Bio Hazardous waste Management	Mr Dhruvaraj M S		V							=	
7	Water recycling maintenance of water bodies and distribution system in the campus	Mr Dhruvaraj M S		V							L	
8	Green Campus	Mr Dhruvaraj M S		V			V				1	7

IAQC-AQAR

IQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.

Principle



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi) (Accredited by NAAC with 'A' Grade) & ISO 9001:2015 and 1400:2015 Certifited Institute. 14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD BENGALURU-560 057



Maintain Environmental Facilities in the Campus

		TA TITLE		Stat	us of	Facilities	3		Sign	ature	Date &	D
Si.No	Name of the Facility	Name of the Facility Member	1	rking		Main	Maintenances		On Received	On Submitted	Time (c)	Remarks (d)
		•	Excellent	Good	Poor	Excellent	Good	T	(2)	(p)		
9.	Solar power plant	Mr . Gnanendra D S		V			V					-
10.	Restriction entry of automobiles	Mr.Dhruvaraj M S		\ \			V			A		
11	Use of bicycle/	Mr. Dhruvaraj M S		V			V	1		1	23/19	
12	Pedestrian- friendly pathways	Mr. Dhruvaraj M S		V			V					
13	Ban on use of plastic	Mr. Dhruvaraj M S		V								
14		Mr. Dhruvaraj M S	- 1-	V			V	111				
15	Disabled, barrier free environment built environment	Mr. Akshay J		V			V					

built environment Note: IQAC has to submit the detailed report of each facility by begging and end of the each semester

'a' Column : IQAC member has to sign after receiving remarks/Notes/ Suggestions from the facility Member

'f' Column: Member has to do the sign, after submitting complete remarks/Notes/ Suggestions regarding facilities

'g' Column : Member has to note time/ Date on visiting the facility

'h' Column : Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

Principle

IQAC - Co-ordinator
Sapthagiri College of Engineering
Bengaluru - 560 057.



(Affiliated to VTU, Belagavi, Approved by AICTE, New Delhi) (Accredited by NAAC with 'A' Grade) & ISO 9001:2015 and 1400:2015 Certifited Institute. 14/5, CHIKKASANDRA, HESARAGHATTA MAIN ROAD BENGALURU-560 057



Maintain Environmental Facilities in the Campus

Log sheet maintained by Member

Sl.No	Name of the Facility	Sign	ature	Visited Date & Time	Remarks/ Name of the Facility Operator
RA LLIS		Remarks Received (e)	Remarks Submitted(f)	(g)	(h)
1.	Sewage Treatment Plant		De Ca	20/07/21	3
2.	Composter		1 P	19/07/21	
3.	Bio digester		B	19/09	
4.	Rain Water Harvesting		(AD) (A)	19107	
5.	Solid waste Management		an O	20107	
6.	Bio Hazardous waste Management		00	2014	
7.	Water recycling maintenance of water bodies and distribution system in the campus			20107	
8.	Green Campus		A	20107	
9.	Solar power plant			20/07	
10.	Postriction entry of automobiles		A 0	20107	
11.	Use of bicycle/ battery-powered vehicle		1	20107	
12.	Pedestrian- friendly pathways			20107	
13.	C 1tio		No.	20107	
14.	Landscaping		A V	E:	
15.	barrier tree environment built		(A)	20/07	1 1

Note:
'e' Column: Member has to sign after receiving remarks/Notes/ Suggestions from the facility operator and After inspecting only has to do sign e Column : Nember has to sign after noting the providing complete remarks/Notes/ Suggestions in the column 'h'

'g' Column: Member has to note time/ Date on visiting the facility
'h' Column: Any remarks/Notes/ Suggestions has to be filled by Facility Operator/ Member of Facility.

Note(if any):

IQAC - Co-ordinator Sapthagiri College of Engineering Bengaluru - 560 057.

Principle



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - ACADEMIC BLOCK

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 18

Date of sampling

: 28-10-2021

Time of Sampling

11:00 AM

Date of Analysis

: 28-10-2021

Test Result

Parameter	Desirable	Permissible		T	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable	1						
Taste		eable		/					
Turbidity, NTU, Max	5	10	V						
pH Value	6.5-8.5				~			-	
Alkanity, mg/L, Max	200	600				V			
Total Hardness (as CaCO3), Mg/L,Max	300	600	V						
Iron (as Fe), Mg/L,Max	0.3	1.0	V	-					
Chloride (as Cl), Mg/L,Max	250	1000	V						
Residual free chlorine, mg/L, Max	0.2	-	-	V					
Total Coliform Organism, MPN/100 ml	50 or less	-	~	4					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus GIRLS HOSTEL

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 16

Date of sampling

: 28/10/21

Time of Sampling

: 10:30AM

Date of Analysis

: 28/10/21

Test Result

Parameter	Desirable	Permissible		7	ested	result	ts		Remarks
I was a supplied to the supplied to	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable							
Taste		eable			1/				
Turbidity, NTU, Max	5	10			1				
pH Value	6.5-8.5			_	1/			-	
Alkanity, mg/L, Max	200	600			1				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000							
Residual free chlorine, mg/L, Max	0.2	(4)			V				
Total Coliform Organism, MPN/100 ml * This report is design	50 or less		V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

13±S Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Administrative Block.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

21

Date of sampling

: 02/11/2021

Time of Sampling

10:30 AM

Date of Analysis

02/11/2021

Test Result

Parameter	Desirable	Permissible		r	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V		-		
Taste	Agre	eable			~	-			
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				~				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	=======================================			~				
Total Coliform Organism, MPN/100 ml	50 or less		V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus _ Boys hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 16

Date of sampling

: 28/10/2021

Time of Sampling

: 10:30 Am

Date of Analysis

eselules:

Test Result

Parameter	Desirable	Permissible		Т	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	330000000000000000000000000000000000000
Odour	Unobjec	ctionable			V				
Taste		eable			V				
Turbidity, NTU, Max	5	10 ,			V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600							
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as CI), Mg/L,Max	250	1000		Rail C	V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	-	6	•					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus Adminitoritive block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

20

Date of sampling

: 27/04/21

Time of Sampling

10:00 Am

Date of Analysis

27/07/21

Test Result

Parameter	Desirable	Permissible		T	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	10.0 C0.01.02.0.09M
Odour	Unobjec	ctionable			1				
Taste		eable					-		
Turbidity, NTU, Max	5	10			/				
pH Value	6.5-8.5				/		-		
Alkanity, mg/L, Max	200	600			/				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/	Ť			
Iron (as Fe), Mg/L,Max	0.3	1.0			_				
Chloride (as CI), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2								
Total Coliform Organism, MPN/100 ml	50 or less	-							

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus

- Academic block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 20

Date of sampling

: 27/7/21

Time of Sampling

: 10:00 AM

Date of Analysis

: 27/7/21

Test Result

Parameter	Desirable	Permissible		7	ested	result	s		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~		_		
Taste		eable			~				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				-	-			
Alkanity, mg/L, Max	200	600			/				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000							
Residual free chlorine, mg/L, Max	0.2	-			~		20.00		
Total Coliform Organism, MPN/100 ml	50 or less	-	/						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus ,- Girl's Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

20

Date of sampling

97/7/21

Time of Sampling

10:00 AM

Date of Analysis

: 27/7/21

Test Result

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~		-		
Taste		eable			レ				
Turbidity, NTU, Max	5	10			V				
pH Value	6.5-8.5				V		-	-	
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	-	V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Boys Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

20

Date of sampling

: 27/07/21

Time of Sampling

: 10:00 AM

Date of Analysis

27/07/21

Test Result

Parameter	Desirable	Permissible		Γ	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobje	ctionable			~			-	1
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10			/				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as CI), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	-			~				
Total Coliform Organism, MPN/100 ml	50 or less	-	V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus : (Academic Block)

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

10

Date of sampling

: 20/08/2021

Time of Sampling

: 11:00 AM

Date of Analysis

:00/08/2021

Test Result

Parameter	Desirable	Permissible		T	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	A COMMING
Odour	Unobjec	ctionable			1	****			
Taste		eable		-		0-3-01-			
Turbidity, NTU, Max	5	10			/				
pH Value	6.5-8.5				V			-	
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	-	~						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

tab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus (Administrative block)

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 20

Date of sampling

:20/08/2021

Time of Sampling

Date of Analysis

: 21;00am : 20/08/2021

Test Result

Parameter	Desirable	Permissible		T	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste	Agre	eable			V		_		
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				V			-	
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less		~	2					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus ? G? SUS HOALL.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 22

Date of sampling

: 26 | dugust | 2021 : 11:30 Am.

Time of Sampling

Date of Analysis

Test Result

Parameter	Desirable	Permissible		r	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~				
Taste		eable			~		V.77		
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				~				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2				~				
Total Coliform Organism, MPN/100 ml	50 or less		~						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Boys hostel.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

Time of Sampling

Date of Analysis

: 26/August | 2021 : 11:00 AM : 26/August | 2021

Parameter	Desirable	Permissible	9	T	ested	result	s		Remarks
	Limit	limit	A	A	GH	BH	C	F	remarks
Odour	Unobjec	ctionable							
Taste		eable			-	7			
Turbidity, NTU, Max	5	10							
pH Value	6.5-8.5						-	_	
Alkanity, mg/L, Max	200	600			/				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/				
Iron (as Fe), Mg/L,Max	0.3	1.0							
Chloride (as CI), Mg/L,Max	250	1000			_				
Residual free chlorine, mg/L, Max	0.2	-			/				
Total Coliform Organism, MPN/100 ml	50 or less								

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Administrative Block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

16

Date of sampling

28.09.2021

Time of Sampling

11:30 AM

Date of Analysis

28.09.2021

Test Result

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	- 13.21311 - 3.30
Odour	Unobjec	ctionable		.1	V				
Taste	Agre	eable		-	سا				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				-	-	-	-	
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			~	= 1.T ₊₊ C			
Chloride (as Cl), Mg/L,Max	250	1000	2 211		~				
Residual free chlorine, mg/L, Max	0.2	- 2			~				
Total Coliform Organism, MPN/100 ml	50 or less		~						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Tab In-charge

HOD, Dept. of Civilings. S.C.E, Bangalore-560 057.



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Academic Block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

.: 16

Date of sampling

: 28- 9-2021

Time of Sampling

: 12 AM

Date of Analysis

: 28-9-2021

Test Result

Parameter	Desirable	Permissible		Т	ested	result	is		Remarks
	Limit	limit	A	A	GH	BH	C	F	A COMMAND
Odour	Unobjec	ctionable			~				###
Taste	Agre	eable			V	-			
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				/				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/	-			
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2				~				
Total Coliform Organism, MPN/100 ml	50 or less		~	2	3 -				

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Boys hostel.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 22

Date of sampling

: 27.09.2021

Time of Sampling

: 9.30 AM

Date of Analysis

: 27.09.2021

Test Result

Parameter	Desirable	Permissible	1	7	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V		Ť	TATES .	
Taste		eable			V				
Turbidity, NTU, Max	5	10			V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	- 1			~				
Total Coliform Organism, MPN/100 ml	50 or less		~						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Gerls Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 16

Date of sampling

: 28.09.2021

Time of Sampling

11 AM.

Date of Analysis

: 28.09.2021

Test Result

Parameter	Desirable	Permissible		T	`ested	result	s		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V		Ť		
Taste	Agre	eable	-		V				
Turbidity, NTU, Max	5	10			V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0		5 4	~				
Chloride (as CI), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2				~				
Total Coliform Organism, MPN/100 ml	50 or less	-	~						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus-Administrative block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 20

Date of sampling

: 02 June 2021

Time of Sampling

: 11:30 AM

Date of Analysis

: 02 June 2021

Test Result

Parameter	Desirable	Permissible		1	ested	result	ts		Remarks
4038400	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~				
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				/				
Alkanity, mg/L, Max	200	600			/				
Total Hardness (as CaCO3), Mg/L,Max	300	600		=	~				
Iron (as Fe), Mg/L,Max	0.3	1.0			/				
Chloride (as Cl), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2	•			~				
Total Coliform Organism, MPN/100 ml	50 or less		/						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus-Academie block.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 20

Date of sampling

: Od/ June 12021

Time of Sampling

: 11:25 AM

Date of Analysis

: 02/ June/2021

Test Result

Parameter	Desirable	Permissible		r	ested	resul	ts		Remarks
A A CONTRACTOR OF THE PARTY OF	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			1				
Taste		eable			V				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5			11	~			-	
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2			1	V				
Total Coliform Organism, MPN/100 ml	50 or less	20	V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Bosyl Hostel.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

18

Date of sampling

: 02/06/2021

Time of Sampling

: 11:35 AM.

Date of Analysis

: 02/06/2021

Test Result -

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	=0.550.00.5.00
Odour	Unobjec	ctionable			V				
Taste		eable			1				
Turbidity, NTU, Max	5	10			V				
pH Value	6.5-8.5		-		~				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	9			~			37121	
Total Coliform Organism, MPN/100 ml	50 or less		V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Girls Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 19

Date of sampling

: 02/June 12021

Time of Sampling

: 11:30 Am

Date of Analysis

: 02 | June 12021

Test Result

Parameter	Desirable	Permissible		1	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			/				
Taste	Agre	eable			_				
Turbidity, NTU, Max	5	10			/				
pH Value	6.5-8.5				1				
Alkanity, mg/L, Max	200	600			1				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/				
Iron (as Fe), Mg/L,Max	0.3	1.0			/				
Chloride (as CI), Mg/L,Max	250	1000			S				
Residual free chlorine, mg/L, Max	0.2	7(=)			✓				
Total Coliform Organism, MPN/100 ml	50 or less	-	/						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Boys Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

17

Date of sampling

: 27/4/2021

Time of Sampling

: 12:30 PM

Date of Analysis

: 27/4/2021

Test Result

Parameter	Desirable	Permissible		Т	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			./				3-2 P
Taste		eable		-	/				
Turbidity, NTU, Max	5	10							
pH Value	6.5-8.5		1		/				
Alkanity, mg/L, Max	200	600			/				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0							
Chloride (as Cl), Mg/L,Max	250	1000				9)			
Residual free chlorine, mg/L, Max	0.2	1 - 1							
Total Coliform Organism, MPN/100 ml	50 or less	- u=		/	4				

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Groves frostel.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

18

Date of sampling

28/5/2021

Time of Sampling

: 11:00 am

Date of Analysis

: 28/5/2021

Test Result

Parameter	Desirable	Permissible		T	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	- 10111111 115
Odour	Unobjec	ctionable							
Taste		eable			V				
Turbidity, NTU, Max	- 5	10			~				
pH Value	6.5-8.5						-	-	
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	. E			~				
Total Coliform Organism, MPN/100 ml	50 or less	-							

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus Administrative Block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

: 27/04/2021

Time of Sampling

: 12:30 PM

Date of Analysis

: 27/04/2021

Test Result

Parameter	Desirable	Permissible		T	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			1				
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10							
pH Value	6.5-8.5		1		V				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	5	V	/					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

tab Inocharge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Administrative block.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

18

Date of sampling

: 28/5/21

Time of Sampling

: 11:00 AM

Date of Analysis

: 28/5/21

Test Result

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
The second states of	Limit	limit	A	A	GH	BH	C	F	1
Odour	Unobje	ctionable						-	
Taste		eable						-	
Turbidity, NTU, Max	5	10							
pH Value	6.5-8.5				./				
Alkanity, mg/L, Max	200	600							
Total Hardness (as CaCO3), Mg/L,Max	300	600		4					Mill
Iron (as Fe), Mg/L,Max	0.3	1.0				T			
Chloride (as CI), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2	-			<i>y</i>				
Total Coliform Organism, MPN/100 ml	50 or less	-		V				1	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Academic block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 18

Date of sampling

: 28-5-2021

Time of Sampling

: 11:00 AM

Date of Analysis

: 28-5-2021

Test Result

Parameter	Desirable	Permissible		T	ested	result	ts		Remarks
	Limit	limit	A	Α	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste		eable			V				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				V		_		
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000			6				
Residual free chlorine, mg/L, Max	0.2	-			1	-			
Total Coliform Organism, MPN/100 ml	50 or less	-		/					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

tab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru–560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Boy & Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

: 28/05/2021

Time of Sampling

11: 00 Am

Date of Analysis

: 28/05/2021

Test Result

Parameter	Desirable	Permissible		T	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10			~				
pH Value	6.5-8.5				V	_			
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as CI), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	1		V					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus-Girls Hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

19

Date of sampling

: 27/04/2021

Time of Sampling

: 11:00 AM

Date of Analysis

: 27/04/2021

Test Result

Parameter	Desirable	Permissible		r	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~				
Taste		eable			V			-	
Turbidity, NTU, Max	5	10			/				
pH Value	6.5-8.5				~				
Alkanity, mg/L, Max	200	600			~				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/				
Iron (as Fe), Mg/L,Max	0.3	1.0			/	72"			
Chloride (as CI), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2	-			~				
Total Coliform Organism, MPN/100 ml	50 or less	-							

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

ab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Academic block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 18

Date of sampling

: 27/04/2021

Time of Sampling

12:30 PM

Date of Analysis

: 27/04/2021

Test Result

Parameter	Desirable	Permissible		7	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste		eable			1				
Turbidity, NTU, Max	5	10			V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			1				
Total Hardness (as CaCO3), Mg/L,Max	300	600			√				
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as CI), Mg/L,Max	250	1000			~				
Residual free chlorine, mg/L, Max	0.2	2			V				
Total Coliform Organism, MPN/100 ml	50 or less		V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Administrative Block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

:18

Date of sampling

:30/3/2021

Time of Sampling

: 12:05 P.M .

Date of Analysis

: 30/3/2021

Test Result

Parameter	Desirable	Permissible		T	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			~			-	
Taste	Agre	eable	1						
Turbidity, NTU, Max	5	10	V	-		7.00			
pH Value	6.5-8.5		./	_					
Alkanity, mg/L, Max	200	600	/						
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0	~						
Chloride (as Cl), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2	Pi s	V						
Total Coliform Organism, MPN/100 ml	50 or less	-			V				

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus Jarady block.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

19

Date of sampling

: 27/03/21

Time of Sampling

11:49 am.

Date of Analysis

: 87/03/21

Test Result

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable	V	-					
Taste	Agre	eable	V	-					
Turbidity, NTU, Max	5	10	V						
pH Value	6.5-8.5		V	-			_		
Alkanity, mg/L, Max	200	600	V						
Total Hardness (as CaCO3), Mg/L,Max	300	600			~		A 2000 2 1		
Iron (as Fe), Mg/L,Max	0.3	1.0			V				
Chloride (as Cl), Mg/L,Max	250	1000		V					
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	1. 5-			V	-			

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Civil block.

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 18

Date of sampling

: 30/3/2021

Time of Sampling

: 12:05pm.

Date of Analysis

: 30/3/2021

Test Result

Parameter	Desirable	Permissible		Т	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	7,57,77,77,77,77,77
Odour	Unobjec	ctionable		~					7
Taste		eable		1	_	1/2			
Turbidity, NTU, Max	5	10		v	V	-			
pH Value	6.5-8.5				1/			-	
Alkanity, mg/L, Max	200	600		V					
Total Hardness (as CaCO3), Mg/L,Max	300	600			~				
Iron (as Fe), Mg/L,Max	0.3	1.0		V	,				
Chloride (as Cl), Mg/L,Max	250	1000			/	-			
Residual free chlorine, mg/L, Max	0.2	-		~					
Total Coliform Organism, MPN/100 ml	50 or less			~					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus Administrative block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

18

Date of sampling

: 30/3/2021

Time of Sampling

: 12:05 PM

Date of Analysis

: 30/3/2021

Test Result

Parameter	Desirable	Permissible		7	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste	Agre	eable	1/	(i)					
Turbidity, NTU, Max	5	10	V						
pH Value	6.5-8.5		11						
Alkanity, mg/L, Max	200	600	V						
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0	V	,					
Chloride (as Cl), Mg/L,Max	250	1000	T. S.		V				
Residual free chlorine, mg/L, Max	0.2		V						
Total Coliform Organism, MPN/100 ml	50 or less				V				

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Administrative Block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

17.

Date of sampling

: 24/02/21. : 2:30pm. : 24/02/21

Time of Sampling

Date of Analysis

Parameter	Desirable	Permissible		า	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V				
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10		V		H =		-	
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600		V					
Total Hardness (as CaCO3), Mg/L,Max	300	600			/				
Iron (as Fe), Mg/L,Max	0.3	1.0			/				
Chloride (as Cl), Mg/L,Max	250	1000		V					
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less	-		~					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)
(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.
#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru—560 057.
Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus (Faraday block)

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

: 24/02/21

Time of Sampling

: 11:12

Date of Analysis

: 24/02/21

Test Result

Parameter	Desirable	Permissible		T	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			V	Carlotte Au			
Taste	Agre	eable		1		-			
Turbidity, NTU, Max	5	10		_	V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			/				
Iron (as Fe), Mg/L,Max	0.3	1.0			~				
Chloride (as CI), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2	-			V				
Total Coliform Organism, MPN/100 ml	50 or less)	V						

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD, DEPL. VIL. S.C.E, Bangalore-560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus - Cavil block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

: २५/०२/२।

Time of Sampling

: 2:30

Date of Analysis

× ...

Test Result

Parameter	Desirable	Permissible		7	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobje	ctionable			V				-
Taste	Agre	eable			V				
Turbidity, NTU, Max	5	10		V					
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600		/	V				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0		/					
Chloride (as Cl), Mg/L,Max	250	1000		✓					
Residual free chlorine, mg/L, Max	0.2	175.			/				
Total Coliform Organism, MPN/100 ml	50 or less	-		√					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab In-charge

HOD/CIVIL



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) (Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute. #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus

accadamer block

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

18

Date of sampling

24/02/21

Time of Sampling

2:30

Date of Analysis

24/02/21

Test Result

Parameter	Desirable	Permissible		7	ested	result	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	10- Wall 10-
Odour	Unobjec	ctionable			V				
Taste		eable	-		1				
Turbidity, NTU, Max	5	10 .			V				
pH Value	6.5-8.5				V				
Alkanity, mg/L, Max	200	600			1				
Total Hardness (as CaCO3), Mg/L,Max	300	600			V				
Iron (as Fe), Mg/L,Max	0.3	1.0			ν				
Chloride (as Cl), Mg/L,Max	250	1000			V				
Residual free chlorine, mg/L, Max	0.2				V				
Total Coliform Organism, MPN/100 ml	50 or less	-		1					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

(Accredited by NAAC with 'A' Grade) &ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru— 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2

DEPARTMENT OF CIVIL ENGINEERING

*** Analytical 'Drinking Water Quality' Laboratory Report ***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru.

Sample site

: SCE Campus

- Girls hostel

Source

: RO filtered water

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 17

Date of sampling

: 24/02/21

Time of Sampling

: 2130

Date of Analysis

: 24/02/21

Test Result

Parameter	Desirable	Permissible		1	ested	resul	ts		Remarks
	Limit	limit	A	A	GH	BH	C	F	
Odour	Unobjec	ctionable			-				
Taste		eable			-			1 25	
Turbidity, NTU, Max	5	10			-				
pH Value	6.5-8.5		1		-		-	-	
Alkanity, mg/L, Max	200	600			/		-		
Total Hardness (as CaCO3), Mg/L,Max	300	600		4	1				
Iron (as Fe), Mg/L,Max	0.3	1.0			/		-		
Chloride (as Cl), Mg/L,Max	250	1000			/				
Residual free chlorine, mg/L, Max	0.2				/				
Total Coliform Organism, MPN/100 ml	50 or less			V					

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Lab Instructor

Lab in-charge

NAME	fisci fil\mpi2	-cu ages		stov /		INDEX	
STD.			DIV.)	ROLL	0.)		
SI.No.	Date		Tille		Page No.	Teacher's Sign / Remarks	
				1			
			PTI	JAP	TR		
	-			1110	1+11	1	
		COL	LEGE	OF	[-]\	GINGE	RIM
		FA	MI	2011	MA	TA	
			1 11 4 1	1010	, (0	V1710	
			CCI	0/10	M		
					7100	33	
				7			
1	9						
	1) -		MP	7(7	ER	
				4 (1)			
							1,7

	13 1	FEGDIN	1 Collegion	6	1		
	SL NZ	TYPE	SLUDGE	Contra	DATE	ŒŢŸ	TINE PETELLIS
	(1)			144	20/10/19	124	HONOR
	2				22/10/9	1000	10.30AT
	3	~		I W SY	24/10/19	IILTM	11.00Ar
-	4				26/10/19	1744	11.00 PM
-	5	-			28/10/19	10470	10.30AM
	6	~			30/10/19	1127	11.00AM
	9	V	V		2/11/19	11275)	10.30AM DOWNER
	8	V			4] 11/19	1227	
_	9	V			6/11/19	-11276	10.0AT
	10	V			8 11 9	1245	11.00AY
- 1	.11	V			11/11/19	1140	10.30AT Periodical
	12	~			13/11/19		11.00 An
	13	~		1	3 11 p	1145	HOD, Dept. of Civil
	14	~		1	18 1/n	1241	11.0Ar
_	15	~		ó	20/11/19	1124 1	0.30H) SEONED SET
_	16			a	alula	1247	11-afr
		+		+		_	
						800	anned with CamScanner

		1 LE dis	,v				
5LND 17	CERDINI	SLU DALE	Conplet	DATE	QUTY	TINE	PET EARKEDS
17	0			24/11/19	1844		
18	✓			26/11/19	19 216	10:30Ar	
19	~			28/11/9	uta	11 % Ar	
20	~			30/11/19	1924	10.00 AT	
21	/			માયા	12 Les	11.00	
22	~			4/12/19	13249	10·AM	
23.	~	V		6/12/19	1545	11.00 AT	
24	~	,	i	8/12/19	1249	11.00 AM	
25	✓			10/12/19	18 15	10.00AM	(
26	✓			12/12/19	19.4	10.30AN	
27	\sim			14/12/19	1124	19.00A1	
28	√ 	-		16/12/19	13比	10.00AM	
29	**			18/13/17	1824	11.097	
30	~	V		20/12/19	15H	11.00 Ar	
31	✓			22/12/19	16 14	10.0 mAn	Paris (DHEDIME)
32	V		(<u>भूषा</u>	18.W	11.00AN	THPB- SET
	/					Con	onned with ComScanner

6	KERDING.	Collabor E	Consider	DATE	BUNG	rnie (Date BLGP
49		2		29/1/20		11.60AT	
50	~			31/1/20	15 H	losup	
51	~			3/2/20	1849	11.04	
52	N			5/2120	12113	16-30AM	
53	/			7/2/20	16 48	11.04	
54	~			10/2/30	15 HS	10.0487	Jedye
56	~	V	,	12/2/21	1314	11.00417	
36	V			14/2/20	187	11. WAIT	
57	V			17/2/21	15 M	10·∞ AM	
58	V			19/2/20	1745	11.4	1 2 Jese (25)
59	~		-	21/2/20	1248	163080	HOD, Bept. of Civil End HOD, Bangalore-5601
60	V			भागम	184h	11: exAr	S.C.E. B.
61	~			28/2/2	135	10:AM	
62	~		-	28/2/2	01815	11; nAn	
63	~			2/3/20	1517	70.30M	
64	V			4/3/2	0 177	11.00AN	FINE SET
			v .				

	h	Colloin	32:		-			
	EREDINA	STADLE.	Confifth	DATÉ	auns	riri (Date	KEAR
65	V				1524	11-00AM		
Senast								
66	V			314BO	1843	10.0m		
67	V			614/20	1546	10-30AM		
-68	V			814120	1243	11.00AM		
69	V			10 /4)20	15H	10.00tal		
70				13/4/20	1945	11A77		
71	V	V		15)4]20	1643	11.00 AM	. () 4	
72	V			17/4/20	15245	10.30.An		
73	V			20/4/20	1245	21.c.Ar)		
74	V			12/4/20	19 LH	11.00 AT	54	
75	~			24/4/20	13 Lh	10364		
76	~			27/4/20	18 Lh	11.00An		
77	V			29/4/20	15 W	10:0AN		
78	V	~	3	2/5/20	171	11.00Am		
79	V		L A	415/20	1224	10.0An		
80	V.		F	6/5/20	184	10314	SIY	SET
			,			Scar	nned with	CamScanner

SLNO	CELER	collone glublé	COTRIED	PATE	017)	TITE	Date
81	V			8/5/20	1641	11.0AM	
_82	N			11/5/20	10.301	10.30417	
93	✓			13/6/20	15HJ	11.0AM	
84	\sim			15 5 20	16 LY	10.30 AM	
85	~		1	18/5/20	124	11.0477	
86	V	- 1		20/5/20	134	10.An	<u> </u>
87	V	V		22/5/20	13 LH	11.00AM	Oppurt
88	V	77 . 77		25/5/20	18 <i>I</i> H	11.0A7	21/1/2020
89	\sim			27/5/20	1914)	10.0AN	
90	~			29/5/20	11 14	41.WAR	
91	~			116/20	13 41	10. WAN	
92	~			3/6/20	1614	11.00AN	
93	~			5/6/20	1514	10.0Ah	
94	~	.~		8/6/20	1318	11. en4m	
95	V	<u> </u>		10/6/20	1514	18. WAL	
96	V			12/6/20	1817	11.00	SEVEN SET
						000000	and with ComScanner

440	CREDIN'S	SUNAR COLLARS	CATRUTES)	DATE	oust	TIME	Date PARE
97 97	W			15/6/20		11.00 Ar	
98	V			17/6/20	1524	10.0At	
- 29	V			19/6/20	1214	11.0AM	
100	\checkmark			22/6/20	144	10.30Ah	
101	V			24/6/20	16 th	16.30AN	
102	V			26/6/20	13 4	12 -An)	
103	· ~	V		29/6/20	1977	11.0AM	
104	V			117/20	2015	10:0A	
105	V			317120	13比	1030AN	
106	~			6/7/20	1514	11.0AN	
107	V			8/7/20	16 VS	11.000	
108	V			10/7/20	184	10.301	
109	V			13/7/21	94	10308	1 .
110	~	~		15/7/2	134	10:30 AM	
(11	V	1		17/7/23	154	11.0AN	
112	V			2017/	BB	10-wAn	EIGHT SET
							20/1/7

5LND 113		Coffer (B1)	ONTE	No	TIME	Date	VE)
113			22/7/20	1811	IIIOAN		
114	✓		24/1/20	1624	10. MAN		
115	~		27/3/20	174	I\•∞An		
116	V		29/7/20	15 M	10-30AM		
117	~		31/7/20	1715	10.was		
118	V		3/8/20	13 5	10.30A		
119	V	V	5 Alan	1213	11.LAN		
120	~		7/8/20	19 JU	HOAN		
DI	~		10/8/20	1424	1047		
122	~		12/8/20	1924	11.cmAn		
123	V	-	14/8/20	1344	10:304)		
124	V		17/8/20	B4	11. wAr		
125	V		19/8/2	187	11.0AN		
194	~	V	21/8/20	1914	10-Min		
197	~				1(674)		
128	V		26/8/20	1944	10.an	NIMS	SET

and the same	14.	Jar. Co.	(2)		<i>[</i>		10
	Creding	COLORIE	Collected	DATE	614	TIME	Date PETELY
129				28/920		10:AT	
130	~			31/8/20	15 LM	11.47	
131	~			29/20	18 hr	10.30Am	
132	~			4/9/20	14 km	10.0917	
133	~			7/9/20	12 HW	11:0AN	
134	~		1	919120	1065	10:0A7	
135	V	V	•	11/9/20	1314	11:0AN	
136	<i>~</i>			14/9/20	1924	11.04917	
137	~			16/9/20	12+24	10.0AM	
138	~			18/9/20	1844	10.30AN	
139	~			21/9/20	14 44	11.04AD	
140	~			23/9/20	1811H	11.WAN	
141	~			25 920	1314	11. WAT	
142	V	~		28/9/20	14亿计	103111	Olavari.
143	V			30920	15 KM	11.WAN	2/1/20
144	V			2/10/20	14ti4	10.301	TEÊN SET
						Soon	nned with CamScanner

.NO	FEEDIN	SUBSE	Constitution	DATE	647	rirt.	Date DATE OF THE PROPERTY OF T
45	V			5/10/20	15 LIH	(l:An	
46	V			7/10/20	1964	10.0AM	
<u></u>	✓			9/10/20	18641	10.30AM	
48	V			12/10/20	18 Let 1	nA:01	
49	/			14/10/20	16 lets	Nort	
150				16/10/20	1210	10:30fm	
151	~	~		19/10/2	1864	11.0AL	Martin
152	V			37/1930	1944	lo-An	19/10/20
153	/		- Same	23/192	16245	11:Ar	ו
154		1		26/10/20	1664	11.WAI	
155	V			28/10/2	0 19 Ley	11·A1	
156	V	,		30/1921	0 1644	ID:Ar	
157	V			2/11/2	0 1224	11-04	in .
158	~	V		4[11]2	0 14 64	11. WA	N
159	V			6/11/2	0 15M	10.A	n
160	V			9/11/8	0 164	10.30	AN-ELEVELY, SET
						7	Scanned with ComScanner

31NO	CERDING	COLLETEN SLVDYE	CONPLIED	DATE	471	TIME	Date PENCKE	20
16]	1100			13/11/20	1914	וואיון		
162	V			16/11/20	10m	10×417		
163	\sim	,		18/11/20	1424	10.30		
164	~			20/11/20	16 M	10:0AN		
165	V			23/11/20	1914	11.047		
166	$\sqrt{}$			25/11/20	15时	10.30AN		
167	V	V		27/11/20	134	11.000		
168	V			30/11/20	1224	11.0141		
169	~		-	সাগর	184	10:AN		
170	√			4/12/20	134	11. ugn		
171	~	2		7/12/20	1544	10:A17	1	
172	~			7/12/20	16 44	11.0AN		
173	~			11/12/20	1464	(D.AT)		
174	~			14/12/20	1644	11. 2		
175	V			6 13/30	1514	10.AN		
176	~			18/12/30	16州	11.Ar	Theret	SEC

GINO.	& Edward	Controcal	CONFEREN	DATE	ort	TIME (Date	10
137				21/12/20	1945	11:An		
178	<u> </u>			23/12/2	1247	10:m		
179	V			35/12/10	1814	10.30A7		
1,90	~			28/2/20	1649	10 AT7		
[8]	V			30/12/20	1945	MAH		
192	V			1/1/21	144	16.0AN		La Comme
183	V	V		मार्गि	1011	/I·An		133/13
104	V			6/1/21	1914	10:An		
195	V			કાશિ	15leh	11:0AT		
186	V			11/1/21	1664	7A:01		
187	V			13/1/20	n M	(0:30An		1
188	\checkmark			15/1/21	1611	10:A11]
189	~			18/1/21	1641	11.041		
190	V	V		20/1/21	1619	10:uAN		
191	\sim			23/121	12101	11.0AN	. =	
192	V			25/121		(0.31 Am	E HIETEN	SET
						,	anned with C	

120	SCEDING	CALEXO	Coriplita	DATE	out	TIPE	Date Promite	
193				22/1/24		10:An		
194	V			29/1/21	1914	11.6394		
195	1 V			1/5/97	16fir	10:30FM		
196	/			312/21	13145	11.00AM		
197	V			5/2/21	15 LK	10.0Ar	4	osled
198	V		/	8/2/21	18 Lin	11.uAr	}	Sung Obsurk
199	V	W		10/2/21	1764	11.020	9	10/2/21
200	V			12/2/21	1844	10.4n		$\omega \omega$
201	V			15/2/21	16 Lits	10.30 AM		
202	V			17/20	1924J	11:PAN		
203	V			19/2/2	1841	1030Ar		
204	V			27/312	pus	11-497		
205	V			24/212	1814	(0;Ar)		1
206	V	~		26/212	1464	11.047		
207	V			1/3/2	194	10.AN	1	
208	V			338	1444	10301	fourth	SET
		8.						
				has a	-		cannad with Co	

BLNO	CLE DINA	Chipy	Soft it	DATIC	outy	THE	Date KCHD
209				3/3/21	1924	11.47	
210	\sim			8/3/20	1544)	10. co An	
-211	V			10/3/1	1643	11.0AT	
212	~			12/3/21	19'44	(0:0AT)	
191	\sim			15/3/1	1544	11:evAn	13
213	<u></u>			17/3/21	1744	10.47	
215	<u> </u>	~) }	19/3/21	1944	11.00	
216	V			23/3/2	124	(0)An	2
217	V		8	24/32	14 Lit	11.00At	
218	~			26/3/21	17/11	10.A7	
219	√			2938	1844	11.04	
220	~			313	116 24	10.04	
221	10000 10000	V		3/4/3,	1849	11.04A1	
222	V	- 1887		5/4/2	1 14.10	1 10.04	
223	~			7/4/2	1154	10.at	r
224	V			9/4/2	1824	11 2004	n filten BET
				January 1970			

25	EREDINA	Political	Corposia	PATIC	Nya	TIME	Date
25	N			12424	1944	11.0mAn	
126	·V			14/4/14	181ih	10.0ATT	
127	V			16/4/21	13 Liv	10.30AM	
18	V			19/4/21	1844	1 (vorfit)	
129	\checkmark		.4.	21/4/21	16 413	10:30	
330	V			93/4/21	1944	11.047	
231	~	N		24421	1844	10.0AN	leuth
BJ	V			28/4/2	1944	1030Am	26/4/29
333	V	1		30 421	1964	10A7	per la
234	V			3/5/21	16 Lit	11.0-147	1.299
235	V			5 5 2	1943	10.3146	D, Dept. of Civil Engg. E, Bangalore-560 057
236	/			7/5/2	1662	11.04917	
237	~	A A		10/2/9.	1944	10.47	
238		N		13/5/			
239				12/5/0			
240				17/51	3/1914	(11. Angu	SIYTEEN, SET

SLNO	Corr	collecters glubyly	composed	DATE	out	TITE	Date Page HALLAS
241				19/5/21		11.00.181	
242	~			2115/21	19LiH	10.eAn	
243	\checkmark		1	24/5/21	16 414	11-2AM	
244	~			26/3/21	1764	10:An	
245				28/2/21	1441	11.0AN	
246	V			31/5/21	18 14	10.30An	
247	~	V		2/6/21	1944	11.0AN	
248	~			4/6/21	16 LiH	10:00AN	
249	V			7/6/21	1944	11.0147	
250	V			7/6/21)4 WH	10.090	
251	V			11/6/21	19 Lih	Novan	
252	V			14/6/21	MLit	10.01Am	
253	~			16/8/31	18 44	moan	
254	V	V		18/6/20	1624	10.04A1	
255	✓			3/6/21	184	10.304	
256				33/6/2	944	ALIONA	SEVETEN SET
							conned with ComSconner

3/40	Crepun	collection,	medat	AND SHIP	euth.	THE	Date Date
2.57	V			25/6/21		11.0eAn	
258	V.			28/6/21	16 Lih	10 wAn	
159	V			30/6/21	1744	10.0A7	
260	~			2/7/21	19 44	11.41	
261	V			3721	14214	10.4AN	
262	~			निमिश	1844	11.0AN	
263	~	V		9/7/21	154	10-4	
264	\checkmark			वानाय	1644	11.04	
265	~			12/72/	1924	10.49	
266	V			1417/21	1844	11.An	
267	V			18/2/31	1344	16-AN	
268	~			16/17/19	1644	11.44	
269				3/17/2	1944	to:An	
270	~	V	-	83/3/2	11844	(0.3AT	Joiling
156	V		-	26/7/2	1944	11. UAT	20/1/4
272	~			28/7/	1744	10.47	Enighten SET
						1	Dept. of Civil Engos, Bangalore-550 057

1	3	Liver -	T.			
SINO	ζv.	Corpy	Conposition	DATE	QUT	THE PATAKEAD
273			Armonto (c)		1944)	11.0AN
234	V			2/8/1	16 AHY	10-00AN
275	V			4/8/2)	Igum	10-50AN
276	V			6 821	15UM	moden
277	✓			2/8/5	1644	10 Am
278				10/240	1 1246	1050 1080
279	\checkmark	~		12/8/	1944	11 10 Po
200	~)		14/8/2	16 44	105084
281	V		1	(18 B)	1344	11 Pm
281	~			18 8 2	1444	10 Asq
183	V			20188	1124	11 Pm
284	√.			22 Isla	15.44	105000
285	✓			24/8/2	19.44	11Pm
286	√.	~		26/8/2	12/11	1 LO AM
287	V		1	28/8/2	114/4	4 (1 197)
288				30/8/2	116:4	4 10 Am
289	1			31/8	154	11 An
						Scanned with CamScanner


() Levi	S. S	Mary St.		ži.	001	Date Page
290				19/2	1964	11.AN
291	V			3/121	1547	10.5097
292	~		,	3/9/21	11/Lith	11.40
293	~			4/9/21	14/14	1060
294	V			6/9/21	18/44	11.40
295	\sim	1.		7/9/4	1644	10.An
296		~		8/1/21	19 Lily	HAN
297	✓		· N	9/7/21	1244	10.50 A
198	~			101914	154	HAT
299	~	1	j -	`	174	
300	~		1 2	13/9/2	1944	UAN
301	· ·					IOAN
302	, ~		- E - 1	,		(IAT)
303	~			,	1841	
304	~		2.6	17/9/21	14-	
305	✓			1890	1647) ((Av)
						Scanned with CamScanner

A. Karana		2.00	, Jou		of the second		· .
0	V.	E Dias	Columbia	DATE	SHAR	Date	
306		\sim	<i>}</i>	20/9/21	17-Lit	10-50AM	
307	_	·	•	26/9/21	15 Lits	11 AT7	
308		✓		22/9/21	19 Lit	10 AT	
309		~		23/9/21	1244	UAN	
310		~		24/9/21	16 hits	10 AM	
311		V		25/9/21	15 Lity	IIAM	
312		V		27/9/21	18 Lits	10.50A+1	
213		~		2819121	14 Lits	11 AT7	
314		V		29/9/21	16 Lits	10 ATT	
315		V		30/9/21	1947	UAT	
516		V		1/10/21	18 Lig	10.500	
317		<u></u>	`	2/10/21	16, Lit	·lIAN	,
31B				4/10/21	15 Lim	10 An	
319		✓	~	5/10/21	19 Lits	11.AT7	
320		V		6 10 21	1644	10 Am	
321	8.			7/10/21	1747	ΠΑη	
						Soonnod with	

deservice	1_		Δμο	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1 1 1 2		
4/80	Fél	and	consus	DATE	Balies	TME	6	Date Page
322	V			8/10/21	18Lims	10A77	素がし	e tra
		`-	,	olul i		,		
323	V			9/10/21	15LIK	11 ATT	2)]	11
324	~		1	11/10/21	19 LiW	10.50	<i>y</i> 5. j	
325	~	/		12/16/21	17-Lis	11A17		
326	\ \	^		13/10/21	13UM	10417	1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	714 3/1 - 1/2
37	~	/		14/10/21	19 Lin	10.15An		
528	~	^		15/10/21	14'Lin	10 An		· .] \ ·
329	~			16/10/21	16Lity	11AN	9-1	2 1 4
330	J	1		18/10/21	18Lin	10A17		
31	7			19/10/21	19 Lits	10.50An	<i>∞</i> -, '	F
32	4	^		2012	14 Lin	11AM		
33	7	^		2410/4	1741	10 AT		
334	V			23/10/21	15しり	11AM	i	1/ 1/2
335	4		~	25/10/21	16 Airs	10.50An		- 1
36	1			26/10/21	14 4%	II A-T)	~	-
337	V			27/10/21	19 Lin	10A7		

libraria de la companya de la compa	~		200	and the second			_
200	Camiri	Canthal	1 1/1/	out	TIME	Date .	
338	N		28/10/21	1944	lian		1
339	V		29/10/21	15 UM	10.A7	4	
340	✓		30/10/21	18Lin	10.35AM	6-17	
341	V		2/11/21	16/11h	ΠΑη		
342	V		3/11/21	14 47	10 47		
343	V		411114	19 Lins	11 Aŋ		
344	V		5/11/21	18 Lis	10 AT)		
345	\checkmark		6/11/21	16 LiM	10-30An		
346	\sim		8/11/21	19 Lity	liAn		
347	✓		9/11/21	17-1115	10.30Ar		
348	V		10/11/21	15 Lin	11 ATT		
349	\sim		11 11 2	18 Lits	10 AT		
350	V		HUM	16 Lits	10-35Aŋ		
351	✓		13/11/21	19 Lits	11An		
352	✓		15/11/21	16 Lin	10-30 An		
353	V		16/11/21	18 LiM	lian	-	
						1	th ComSoonner

3154		Collex	ware o	13/12/21 12/13/21	San Jan	TITE	ate
3154			Address on the same of	13/11/21	1844	IIAN	
355	/			18/11/21	15 HY	IDAN	
356	√.			19/11/21	17 Lits	1147	
357	~		May				
358	~		12.4/1	10, 20			
359	·		DAND				
360	~		1-1-1/2	112.4.1			
361	~		1, 101	1,7,7,1	1		
362	~		1-1111/1	10.7.1			
363	✓		1.1.1.1				
364	1		1	14.40	143		
365	3/4		[whist	1,44			
366			10011/35				
367	7/3		h di		A SA		
368			Jan der für				
369	W.		1777	 V-7 7			
		<i>y</i>	,	μ,			>



	Page
	of sin compost aty pates pate Remarks
Remarks	of sin compost aty Days war Remarks
14	14. Kg 6/11/19 300PM
18	12 ky 7/11 3.458
19	13ky 8/11/4 300pm
20	102.8 1/01/16, 14-Kily 9/11/4 3.30 Pm
21 /1	100-11 1101 26 11KGA 10 July 4.15)
22	08.11 11012 13ky 11/11/19 3.15Par
23 /19	08.8 plail 15, 12 ky 12/11/9 300Pm
24	nord = 125. 10kg. 13/11/193.45700
25	-5.5 0 P.C. 13KY 14 lula 300Pm
26	12-kg 15/11/4 3.45m
27 3	8 6 18 18 14 KY 16/11/19 400Pm
38 CAS 18	11:Ky 1.14/11/19 2.30Pm
29 6	13 Ky 18/11/19 400Pm
	12K4: 19/11/19 4:30Poy
	1001 PULL 14K4 21 July 2,200
	14K4 21/4/9 3:30P)

â	Feeding_	Rio.	r	1		Date Page ()
	of SN	COMPOST	Q+4	Dade	Time	Remerks	
53	4	10,5.2 14	13 Kg	23/11/9	3.1150		PH
4		M frects	12kg	23/11/9	11008m		53
5		Acc. 5 (1)	141kg	24/119	24:30%		1.3
36		h hope	BRY	25/11/4	300 Pay		<u> </u>
7		\$768 9	7124	26/11/19	3,3082)		77
8		gas Ando	14/11/0	मांगीन	400 Pm		17.
9		405.2 4	13K4	aplula	330FM		3.5
10		विकार	1224	21119	Hooley		λZ
1		19. 2.3.3 P	13/34	ગને માર્મિ	4.15pm		
2		1055 5	1284	27 129	Lodon		1,5
13		by two po	12, KY	2/12/19	3,30pm		PE
44	, , , , , , , , , , , , , , , , , , ,	5,88.5- 96	12.KY	वं विश्व	Loopen		03
5	-	ret ring fac	WK4	4/2/9	3:30		10
6		19 4.20s	iong	5/2/19	Hoofon		-53
7		08811	13K4	6/2/9	3.30	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	57
18		a Loop in	Hieg	7/12/10	4 400 Pm		7)

	Date
	of SN compost 8ty Date Time Remarks
49	of SN compost 8ty Date Time Remarks
10	
_50	114 KG 9:(12)14 4100Pos
51	13 KG 10/12/19 3.30Pm
52	121cg 11/12/9 4100 Pay
53	13KG 12 19 3,45k
-54	1 7 (XC) 13 12/4 4-30/04
55	13K4 14/2/93.309n
56	14 Ry 15/12/14 4.00 Pay
57	13×4 16/12/19 230 Pan
58	14 kg 17 /12/9 3 30/8
59	100.5 01 12×4 18/12/2 200 pay
60	100 mg 1 12 120 120 120 120 120 120 120 120 12
61	14 14 19 19 19 3·30 By
	13×4, 20/0/19 400 Pm
62	030012 01 2122 104 104
63	
	1324 22/11/8330
64	14001 101 116 110 100 10 10 10 10 10 10 10 10 10 10 1
	17/12/4/33/11/9/200Pm

, , ,					() bate
	feeding of SW	Blo	0/		×	0
	ofsw	COMPOST	Qty	24 11219	Time 330P	Remarks.
65		- Basil 188	1219	1-50	330P	
		Strat 45.1	384	26/12/19	400 Pg	118
66			,			
67		1 2 F. 25 80	zky	27.1299	3,36 Pm	
		20 200 Pm	Likia:	28-112/10	40074	11.02
68			,	,	,	
69		1.20 Awja	3)74	29/12/9	33094	72
		40 A 45 03 1	المحادث	30 102/19	1100-8	1.32
70						
11		270 300, My	31 /12/9	131/12/19	3.30%	12
		12 3 30 E	1.12	مله ما	Time	22
72						32.0
13		Mc Anchy	14KG	1-120	3.3070	P\$ -
						110
74		805.5 02	3 KG	211/20	400904	
75		100%	2K4	3/1-/20	3.30	1 193
				1-1-	1 0	
76_		126.3E043	4 KY	6111/20	400 Kg	36
17		40EE 05	1326	5/1/20	3.30 Pag	5.6
78		And Joh	244	6/1/26	40070	126
79		190,575	KGC	7/1/20	3:30%	1,0
6.					1	Y
80		is house.	444	18 /11/Pt	400Pan	- > (
•	11					

	Date Page
	C DAAPACE NT Laboration
8L_	9-5W 200701 14K4. 9/11/20 400701
82	12 pg 18/1/20 3009an
	14x4 (1/1/20 3.309m
84	13/12/ 13/120 300 Pan
- 85	12kg 13/120 400Pa
86	9501 913K4 14/1/20 3.49By
87	12ky 15/1/20 300 8mg
88	215 10 KG 16/1/20 3.30 By
89	905.8 0 13/4 14/1/20 400 Por
96	3000 014 kg 18/1/20 3.30pm
- 91	082 0 13 KG 19/120 400Pm
- 92	2001 05 11 K4 20 11/20 300PM
- 93	
94	905.5 91/12 330D
95	14, Kg 23/1/20 240/ay
- 96	1 2 2 m
	13×4 24/2/2 2,000
	Seepped with ComSeepper

r .					Date Page			
	Feeding	BIO						
	of SW	COMPOST	2+4	Dute	Time	Remarks.		
97	1050000	1 274	12Kg	25/1/20	300 B			
98	am badan i	3>	1489	26/120	Hoopy	17:1		
99	me dde	1 00	12 × 4	27/1/26	3/30/2	20		
1.00	3 /2 /2 / 1000	i, i	1369	28/1/20	Zwa	311		
101	1008 at 12/12) po	12/49	29/1/20	300/2	Eu		
102	1201 196	2) -	1124	30/1/20	400Pan	Ø11		
163	275.45	1	13/44	31/1/20	330%	611		
104	(d es 5 c) c	בני ני	14KG	1/2/20	HODRY	ne:		
105	t to Amile	()	1384	2/2/26	3.30%	/5- b		
106	Mondry 1	p) ():	1274	3/2/20	400 Pa	I as		
107	1900 Acc 6	10	11/44	In /2/20	3457	(S. A.)		
108	5088 10	9	(374	5/2/20	HOOPA	721		
10%	124.8.45	55	KKY	6/2/20	3.45%	7.03		
110	Vane de	, j	13764	7/2/20	300P4	96,		
[1]	18 Sept 20			8/2/20	,	()		
112	100 h de	5 m	13164	9/2/20	Hoopen	251		

		Date
	For diana Bio	Page
	to back by	DOC Tine
40	07 Sw (Compost)	10/2/20 3001
114	19:301 35 13KG	11/2/204008
	5008 0118 0112KG	12/20 330
- 116	19 19 19 19 19 11 11 11 11 11 11 11 11 1	13/2/2014008
	19 20 2 10/1/ pa p. 13 124	14/2 20 300 2
	100 100 100 100 100 100 100 100 100 100	stap hoos.
119	क्षा है। विशेष अक्ष	16/2 p 345B
120	अवस्थ नदोदो । वेग्यंद्रद	17/2/20300fay
100	15085 11 0 0 D 1384	18 /2 /200An
102	भारतार वर्ष हो है । १८६८	19/2 kornory
123	भूति विशिध राज्य	20/2/2 400 By
124	18900म प्यंदाह १ 137ch.	2/1/2/330R
12.5	अभेटाट होते अपरिष	2 p 1 p 3.45p
126		23/21/20 300By 11
127	17 12 15 1 2 3 14 KG	4 2 2 4 0 By
128	· P.	5/22/2019
	151041	JA 71.W/4/

1			Date Page
	Ferdiand Bio		ruge
	mill	Date Time	10 472
of Sw	13K4	13Kg 400Pm	INS
2129	1333		
	1289	27/2/20 3,30/20	146
130			
	Lying	28/2/20 400Pm	101
131	Date 1/3	. '	
- 22	3 35 0 12 13 KG	1/3/20 3,30A	9 8 11
132			
133	900 01 514164	2/3/20 400Pay	pal
133			
134	iz Ky	3 3,20 330Pm	101
_اوار			
13.5	and allky	4/3/20 Mootay	101
136	300 8 00 13 tcg 10	5/3/20 3.3012	152
		1/2 10 1 2 2 0	
137	and of aky	6/3 120 400 Pay	
	RESTA Detel	7/5/20 345A	1.771
138	108.8 0 CH 124	7/5/20 3459	
	1 26 8 12 12 12	8/3/20 300 Pan	manage - Day
139	1901-10112KG	8 DBO 300141	*
140	190 8 ochreg	9/3/20 400 Pay	AD1
-190	1114	1070017001	
141	100 1 0 12/Kg	10/3/21 3,302	1.71
142	over jaky.	11/3/20 400Pm	
143	14k4	12/3/20 330/20	
144	1088 433K4	13/3/20 400Pm	i Nat
	4		-

) Date Page
	Feeding!	310		A A A	1
		Compost	outy	Date	Time
	OFF SW	Line	13K4	14/3/21	D GOOD
145			1		1
146		0.500	12K9	15/3/20	3.45%
			1011111	16/3/20	,
144		holon	14K9	16/3/120	4.000
		357.5	13K4	14./3/20	
148_		Nosis	13/4	17.13120	300 Pay
		LA no Par	34 K4	18/3/20	1.00
149			7.1.1.9		
- 156		3,30kg	izky	19/3/20	3,300
151		Looky	13.KY	21/3/20	Loopa
152		में वर्ध ह	194/3/20	21/3/20	3,30Pay
167		0 . 9	of also	1 1	
- 13.5		Li Boles	11 Reg	22/3/20	GOOPA
154		क्राम्य ।	15 kg	9268dx0	3-321
		1	ISA	23/3/20	3.30Pm
155	•	300 P4)	13-kg	7 L. 1	
				24/3/120	40097
156		1400 रिका	15K1	26/3/26	3. call
- 157				001312	0 3.1
		JOB 230 Pm	13 Kg	27/3/20	4.009
158		0		1	
		Book of	1249	2013/20	330Pn
- 159	100	A. C. F.			
~ 1/1		10 11	4 /2	19/3/20	joupy .
160		100 कि	13/kg	8-12-12	
				03/20	330Pm
		. [1 1	Scanned wit	h CamScanner

		3760	CADL		Date Page	
1	recoiner	Con Poll	014	DACE		014 12
8/05	ant c	514191 C	1414	31/3/20	IIAM	161
161		1300/1/10	12.166	1/4/20	10.35An	2 61
162	HE 8007 - 6	11 HOP	12Kg	14/20	ויחפכיטו	311
	TANC	1 21/A/2	15 Kg	2/4/20	10 A D.	199
163						
	OIOAD	122/1/2	13 Kg	3/4/20	11 AM	D81
164				.) 20	10000	
165	4011 07	141881	14° KG	4/4/20	10,30A	101
	2.5.1	dulio	12 45	6/4/20	10 AT7	187
166	10,30 F	7/11/12/2	12 45	017179	10 4117	
	19110	1 25 14/	13 149	7/4/20	UAN	281
167	111111111111111111111111111111111111111					
168	MADIO	174/45	15 kg	8/4/20	10 '35An	42.
100				11.150	10 AT	125
169	P 8.01 0	1 28/4/2	14/149	9/4/20	10 HT	6.1
	70.14	39/4/3	13 149	10/4/20	IIAT	166
170	UH III o	Multo.	13 127	1770	10 / 11	
171	U411 a	30/4/5	12 Kg	11/4/20	IIAN	Fall
191						
172	nA01 0	115/21	14 Kg	13/4/20	10-30AM	1881
				11. /1. 10. 0	14 8 540	1,000
173	119110	121512	13 Kg	14/4/20	10.35AD	1/2/
171	As a vi la	1311	15 K9	15/4/20	11AM	301
174	405.01 C	41513	13 -1	15/1/20		
175	CAM O	15/5/2	14 K9	16/4/20	10 AM	101
						-
9 7/	10831	6/8/3	16 Kg	17/4/20	11 A7	1001
					1.	
_	1		. 7			

A · A	Hair	Coxpox	our	DATE &	pate of the contract of the co
SLN0 177	Edignity.	18/18	115.19	18/4/20	HAT
178	10-31	0/1/19	14 14	20/4/20	10-3 eAn
179	1001	12/1/21	16 Kg	21/4/20	U ATT
180	1011	dile:	14 Kg	22/4/20	10 A17
181	10,3.	Chila	13K9	23/4/20	11 An
182	18 01 10	CINID	14 KS	24/4/20	10,30An
183	1 A U - 0	CHIF.	15 Kg	25/4/20	11An
184	498.11	6/4/2	13 Kg	27/4/20	IOAN
185	7A 01 0	9/1/12:	15 Kg	28/4/20	10,301
186	TAN	C/H/01	12 Kg	28/4/20	11 An 03
187	пап	1/4/11	14 149	30/4/20	11 AT
188 7	DE-012	14/81	13 Kg	1/5/20	IVAN
189	108.31	0/11/11/2	15 kg	2/5/20	11 An
190	THI	-C 4[-1]	13 Kg	415120	16.30 Ar
9191	14 11	duli	15 kg	5/5/20	MAD
192	4411	16/1/21 L	12 Kg	6/5/20	10.30 Ar
	<u>``</u>	4	r , 1		

	Sogran	Orgon	Congress of	The Contract of the Contract o	Daté
	80	0,	0	Dolc	Time.
1	CHO!	36/5/20	16 Kg	7/5/20	MADO
193					
	THIT	06/3/60	14 Kg	815/20	10 A7
194		,			
	10.30 PM	049/36	12K9	9/5/20	10-30 AM
195					
	(4HO)	29/19/20	15 149	14/5/20	11AM-CIC
196		,			
102	MANI	05/3/08	13 K9	12/5/20	10 AM
197					
100	10-30A	06/9/1	18 Kg	13/5/20	11AM
198					
199	CAN	216150	14 Kg	14/5/20	10.30 AM
191	A .				·
200	10-38 AT	13/6/20	1249	15/5/20	11AM
1					
201	MADE	14/1/20	15/49	16/5/20	. 10 ATT FICE
201					
202	TAGI	15/1/20	13K9	18/5/20	11 AT 31C
700					
203	MAN	6/6/20	14 Kg	19/5/20	10.30 AD P/S
~					
204	10-30AT	06/3/8	15kg	20/5/20	10 A7 000
205	10 85	043/0	13 Kg	21/5/20	IIAM /
206	10 30 AT	10/6/20	14 KS	22/5/20	10.30 ATT-CO
207	TAH	11/6/20	15K9	23/5/20	16 AT CC
				,	
B 05	MAH	12/1/21	13 Kg	25/5/20	10 AT 100
		1	15 kg		
				+	
			ευ		

			\ K	ľ	V Colon		1
CIMO	O	rough	Carrant	ourk!	DACE	CTOMETUS.	0
900	X		10/1/15	15 kg	26/6/20	10AD	
209	1	. 11	<u> ०८(स) ३।</u>	1449	27/5/20	11A7	
211	10	-1/1	relete	13 Kg	20/5/20	16.30AN	
212	\	111	MADE	12/49	29/5/20	10Am	
213	11	10)	20/9/01	15 149	30/5/20	11 An	
214	\	111	12/6/20	13 kg	1/6/20	10-30Ar	
215	\ b	., .,	s टीटी हा	14 Kg	2/6/20	liAn	
216	7	110	16/6/50	15 kg	3/6/20	10-35 AM	
217	T	1.77.	0.5/0/11	12 kg	4/6/20	11 Aŋ	
218	(**	11 1	0.9131	14 Kg	5/6/20	JOAN	(* -
219	(4)	C-011	P1/5/12	15 kg	6/6/20	llan	€ ::
22-0		N - 31	20/2/20	12 Kg	8/6/20	10-30 AM	(vel)
271		1111	21/5/20	13 Kg	9/6/20	10 A M	(4 E ,
227			49/02	15 Ky	10/6/20	1030AD	15
223		01	23/5/2	12 14	11/6/20	11 AT)	4 %
adh	1.14	01 10	c(31/2c)	15kg	12/6/20	1A7	
						Lwith ComSoon	

	John State of the	California	engh 13	Date	Page The S
1/2/	1045	02/2/7	15 49	13/6/20	1/47
326	TAN	00/6/0	· 12 Kg	15/6/20	10 AT7
227	10.30AD	00/6/13	14 KG	16/6/20	10.30 AM
228	CAOL	04/6/9	13/29	17/6/20	11 AT
229	(191)	00/6/8	15 Kg	18/8/20	IDAN
230	10-35.01	01416	14 Rg.	19/6/20	10.30 AT
231	10 AD	0(4/21	12 49	20/6/20	11 AT7
232	AAN	0(14/11	13 Kg	246/20	10 AM
233	10-3611	12/2/20	15 Kg	23/6/20	11 AT7
234	TAIL	14/7/20	19 149	24/6/20	11 AM
235	10 An	15/7/20	13 Kg	25/6/20	10.30 Ah
236	CAN	0 4 6 1 91	12 Kg	26/6/20	11 AT 182
237	10-3x An	17/7/20	15 Kg	27/6/20	10 AT (60)
238	1040	16/3/20	14149	29/6/20	MAM ACE
239	ITAN	05/6/05	13 Kg	30/6/20	16.30 AM
240	10-30P	21/3/20	15K	1/9/20	ILAM

(b)	Confinal	BUH!	DATE	ARE	7
341 (0E010)	00	15 kg	2/7/20	10 An	2
342	313	14.69	3/7/20	IIAn	
243		1349	4/7/20	10·30An	
-244	00300	12 kg	6/7/20	10 AD	
345	665	15kg	8/7/20	11Am	
2Hb :	o(3 e	12 49	9/7/20	10-30AM	
-347	3 (/ 1/c),	14 Kg	10/7/20	10 AM	
7348	2K/E/Sc	15 Kg	11/2/20	IIAT	
-349	25/6/20	13 49	13/7/20	10-30AD	
250 1. 91	2016	14 14	14/7/20	IJAh	
2510 11801	35/Epo	15 kg	15/7/20	10 An	
252	20/1/20	1245	16/7/20	11 AD	3
253	22/1/20	15 kg	17/7/2	10-30 An	1,0
254	3 (4.5 \ 1.55)	13'Kg'	18/7/20	10An	Î
256	9 (N o C	14 Kg	20/7/20	IJAn	
0:50	CARIA	12/5	21/7/20	10-30 An	
				od with ComSoo	1

7	E-marker a			Him		Date Page
	4	Pers	CAIRSA	quoly	Date	Tigren
in	The state of		10/6/2	15 Kg	22/7/20	10 ATT 8 CB
53				p '.	'	(DIAP)
	<u> </u>	01	11/8/20	12Kg	23/7/20	11AM AGE
53	_		12/2/2	15 KS	24/9/20	10.30 AT
50				10.1	- (11.12	70.
60	1		13/81	13 Kg	25/7/20	11AM
251	19	<u>)\</u>	-C13/N	1249	27/7/20	10 AM 640
52	3	31	19/8150	14 Kg	28/7/20	10.30AT
163	10	11	18/8/2	1514	29/7/20	11 AT) (BY)
164	A.	31	El Alpo	16/4	30/7/20	10A7 036
365	5.	10	2018/20	TAKY	31/7/20	10.30AD
<u>.</u>	E.	1.1	21/8/12	12kg	1/8/20	
67	74	10	18/8/pc	13 Kg	3/8/20	
82	30	10-	24/8/20	13Kg	4/8/20	11AD 125
\$7	7-1	11	25/8/20	15/4)	5/8/20	10 AT
भि०	7	101	26/8/20	1414	6/8/20	NAMORE
171	T	110	50/8/66	CARS	2/8/2	0 10AM
72	11	101	25/2120	:15K		II AM BEL
					r	

SND !	CCEDIA).	Combon	Deuts	DATE:	THE
4		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1519	10/8/20	UAN
273	1376	1 2 2 2 2 2 2	14 49	11/8/20	
224	(4.6.				10-41
275		1 1	13 Kg	148120	10.30A
276	1477	HAME	16 Kg	13/8120	11 AD
277	1431	17/8/2	13kg	14/8/20	10 An
278	4	1,47175	15 Kg	14/8/20	10-30Am
279	147	1997	IKKS	18/20	1/An
280	1435	0 (15/25)	1345	19/8/20	10AN
281	138,21	30/2/20	12Kg	20/8/20	10-30 AT
-282	// // r	00/3/1	15kg	21/8/20	11 An
_283	7.3.4	0.4(8/2	13 Kg	22/8/20	10 An
-284	1/1/1	0 (18/14)	14169	24/8/20	10.30 AT
205	17.37	2d2[a	16 KG	25/8/20	11AD
286	199	1/2/20	14/69	26/8/20	10 AT
-287	44	35/310	13165	22/8/20	11AD
288	1/1/1	0(15/15)	15kg	28/8/20	10 AN
			/	Soonnad with C	

Time		W			5	
10	(Calling)	Courdster	di	Olys	1 1	ate ATTE
81	64	1221	5 7	15Kg	30/8/20	10A7:
99 99 9	0.0	15/31	5	13 Kg	31/8/20	11017
991	9 (19/06	2	14.69	1/9/20	10.30 An
292	00	219	Š	12Kg	219/20	10 AT
93	0 (31-50	3	15kg	319120	11 9+7 8
294	00	23/2	(3	12/29	4/9/20	11 AM
295	00	24/2	¢	19 Kg	6/9/20	10 AM
296	. a (28/9/	7	15 Kg	919120	10.30 AD
297	0-6	37/6	-	13 Kg	019/20	HATINS
298	- 00	186	7	12149	9/9/20	10 30 An
300	3	99/90		115/19	10/9/20	MAT)
301	0	30/9/2	Ċ	12K)	11/9/20	10.30 An
302	20	101 11	5	14 49	13/9/20	10 Am
303	J-	(10116)	- (13Kg	14/9/20	11 Amole
304	0.0	14/10/		1244	15/9/20	10.30 Am
305	G.5	Sor (d		13 27	16/9/20	11A7
_]	Scar	nned with CamScanner

	4	1 1		1	·
Cruo	Chilin	Courby	Bry	DULL IN THE	1
306.	1		14/4	17/9/20	\
			1519	18/9/20	1
307			13145	20/9/20	
308			12-123	21/1/20	
309					
~30:	1 01	1018	HKY	22-19/20	
2311	**		17249	23/9/20	\
23/24		0.200	1349	24/9/20	_
- 333		1997	15/49	25/9/20	
~ 3140	in 5	000	lakg	27/1/20	, ,
-6315	3/ 04	19/9/	15×9	28/9/20	1
12182	W (0)	10/9/	12/29	29/9/20	
-1317	13 00	10/11/0	13/29	30/9/20	
318) ()	18/9	15149	1/10/20	
3197	11 36	16/m	1425	2/10/20	_
-= 320	.1) 00	[el3] s	BKY	4/10/20	1
- 321	111 0	(PN)	12-125		
			/	5/10/20	/
			<u> </u>	Scanned with CamScanner	

10	Cardina	J	Confr	2	61949		ge TIE
322		12	V 135	Lil	15Kg	6/10/20	MATICA
323		20	26/10	72	13 Kg	7/10/20	10AM
	.51	J-(13/10	Į å	14 KG	8/10/20	10-30AT
324)-C	198/101	- 1	12/4	9110120	IIAN
326	10	0.	101/06	3	15kg	11/0/20	10 ATT 05
327.	101	20	11/05	6,	1449	12/10/20	11 AT 15
3281	111	O-	(/11/)	T.	13 14	13/10/20	10 Atj
329	. 01	01	11115	2	12Kg	14/10/20	10.30 ATT
330	31	0-	3/11/2	7	13 Kg	15/10/20	NATIA
33/1	+ 1 +	0	(h)	Ŷ	MIXKY	16/10/20	10 ATT 8
	11	0	5/11/2	- (15Kg	18/10/20	MARIA
333	fill !	64	9/11/5	Ć	13ky	19/10/20	IDAMS
334	C.01 -	0	(11/8	-	11449	20/10/20	10:30AM?
375		0	9/4/5		1349	21/10/20	11A7
3>6	911	Œ	10/11/2		14/4	22/10/20	NAME
337		(1	4/11/11		1349	23/10/20	10.A7
						- · ·	,

	1		1 14	1)	to but	1	
Surp	CEET	low.	consid	Λ ₀ .	Denty	DATER	Date Page TIME
338		175	11/3	17	11514	25/10/2	MAN
339		01	701 F	6	13 Kg	26/10/20	
340	3/	70	101/3	13:	1249	22/10/20	10.30A
34/		11	1/10	C	15K2	20/10/20	
342		0.0	19/10	C ₂	16149	29/10/20	1095
3431	(\1	00	17/11	P-	12K7	30/10/20	10AD
344	01	00	13/111	70	14 Kg	1/11/20	11 A PM
345	10-	04	14/10	6,	13 Kg	2/11/20	10.35 An
346	15	00	15/10	P	15 Kg	3/11/20	10 A D
347	31.	acl	16/10	60)	14 Kg	4/11/20	11 An
348	11	05/	18/11	6,37	DKy	5/11/20	10An
349	11	120	10/10	7	15149	6/11/20	11An (()
350	1	0-0	20/10	6	14K7	8/11/20	10-30 AM
-351	1 1.	20	01/16	7	13/19	9/11/20	HADE
352	111	00	11/48	6	15kg	10/4/20	11An
353	.01	0.0	33/11	X	12kg	11/4/20	10 An

10	PUEDLI	Courper	OSTN	DULG	(111)
310		THE P	1449	12/11/20	PLATI
354	100	910 0	154	13/11/20	10 An
356	10 16	016 6	16 19	15/1/20	10.30 An
357	11 01	7 415	43Kg	16/11/20	11 An
568	11 04	196101	1126	17/11/20	10 An
359	11 04	1916 6	115KV	18/11/20	HAN
360	01 00	418 6	13/4	19/11/20	10.30 An
36/1	11 00	ialp c	015kg	20/11/20	10 AT
362	01 00	19/11/5	-14K1	22/11/20	10.30 AT
363	10.	1 112	NI6Ky	23/11/20	MATT
3647	+11 0-1	13/01	132K1	24/1120	IOAT
365	101 00	12/12	HY4Ky	25/11/20	10.30An
3667	111 0	15/01	1324	26/11/20	1187 000
367	501. 0	16/10/3/	1527	27/11/20	MATT
368	111 0-	clayer 1	14Kg	21/11/20	10 ATT
369	A11 0-	TENE T	1012KV	30/11/20	11 AM
			2.		il water
361 362 363 364 366 366 367 368	111 00	9 17 10 1 10 1 10 1 10 1 10 1 10 1 10 1	115kg 1112kg 1112kg 115kg 112kg	20/11/20 22/11/20 23/11/20 24/11/20 25/11/20 25/11/20 27/11/20 27/11/20	10 ATT 10 ATT 10 ATT 10 ATT 10 ATT

C/VD	C.C.D.	J.	Couly	M	BOHY	V	age TTTD
3701	9	17	VI C,1	7.1	15kg	1/12/20	UAn
371	31	01	11/81	13	MKG	2/12/20	10 An
372	,\	00	11/91	17:	13Kg	3/12/26	1
373	11	1)(11/11	77	12-14	412/20	1) An
374	11	96	11/61	C	(15Kg	6/12/20	10.30 AM
375		00	11/8/1	()	14Kg	7/12/20	11 An
376	. 7	0.0	19/11	62.7	13 Kg	8/12/20	10 An
377	3 1	20	11/06	104	15kg	9/12/20	MAN
378	0/	04	11/22	62	11519	10/12/20	10 An
3791	1 / /	0	111/66	47	Muky	11/12/20	10.30 AH
~ 3801	01	-04	11/46	13	(1249	13/2/20	HAN
381	•g <i>j</i>	04	35 Ju	72	14 Kg	14) 12/20	10 AT
382	A11	90	11/08	()	13k7	15/0/20	11An
~ 383	11	0-1	1168	124	ò115h	16/0/20	10.38 An
~ 0 1	£3,):	00	1/12	67	H115K1	17/12/20	10 AT
- 385	1 }	0,4	11/25	44	(1347	18/12/20	MAD
						Soonnad with	ComCoonnor

No.	COEDINT	Conding	ofal	DATED	EED.
	Y		1514	20/12/20	1147
300			1414	2112/20	10AT
388			13K9	22/12/20	10.30 ATT
387			1549	23/120	11AH
390			13K9	24/12/20	10 AT
91			15K1	25/12/20	11 AT7
992			13KY	27/2/20	10.30 AT
393			15×7	28/12/20	10AD
394			14/29	29/12/20	11 An
395			15kg	30/12/20	10 An
596			1347	SKI K	UAN
397			154	1/1/21	10 AN
398			13kg	3/1/21	II AT
399			1447	41121	ΠAη
100			15/4	5/11/21	10 AT
401			1347	6/1/21	10.30A
			Englisher.	, solv	

SNO	Clany	Confly	BYIT	DATER	ate The
Ja 111		2, 51, 26: 12		50	
TIT		CA116 0			
TAN	51 3	411116 6	51		
	11 0.	1912 6	(4)		
	0.1.0	9 21/10/2	13		
7	411 0	7 2505	161		
(TA)	201 0	1 22 ps	21		
1: 1	101:101	138/6	121		
\bigcap	111	00/06 42	141		
7	01 0	E-1 30 12-13	ĈI .		37.
~ 17		01101812	81		1
- MA	01	11111 6	a		(*),
	11	1-0118	131		7.7
	11	101111	412/		
I JTA	01	19119	5(31		e d
30 A	11	10112	481		
				J. 5 4.90	

	Exigury	Complete	BYTOS	DATE	of TIP
		White Foresta	16 KG	7 (1/2)	10.40
402			14 84	8 1 2	11 Am
402			18 Kg	9/1/21	1013040
403			14 kg	(0/1/21	10;50 Am
Hot			13 K4	11/1/21	U Do
405			1884	12/1/2)	10 Han
406			16 Kg	13/12	11 Aon
HOY			14 KG	14/1/21	1050 Hay
408			18 KG	16/12	11400
400			13 kg	17/1/21	10 Aan
410			14/24	18/1/21	10-30 Aproj
411			19 kg	19/1121	11 Hoon
412			'	20/1/21	
413			,		11 Hass
414			13 K4	,	[0.30 Am
415			1		11 Am
HIB			14169	11141	((HOT)
			.:		

					0	te
	1.1.0	ennithe	- Outy	Date	Time	ige
3100	ream	COMPAN	16KY	23/1/21		
HH			1489	24/112)	163017	1
118				25/1/2		
1119			17 14		10,3 dh	20
420						
H2)			13/4			
1122			16Kg	, ,		
423			, , ,	30/1/2	1	
424			13	13/11:	7	77
425			NAK	1 (2/a)	1030#	М
426			16ky	2/2/21	11 Aan	
427	7.4		18KG	2/2/2	10,34	1
428			16/4	4/2/2	160 Ac	
429			17/10	5/2/2	10,30%	
430		***	16 KY	6/2/2	; 10 Am	
431			1424	8/2/3	16,30	<i>k</i>
432			16 Key	9/2/2	4 10 1 An	
					7	۷

No.		9			C) Date	(A)
. 20	Fredny	Compal	- Quety	Dutc	Tion	Page	
slow			1410	10/2/2	16:30	ny	
133			,				
			16 KG	11/2/2	11 Am		
H34			10	19/8/			
435			18109	12/2/2	10.30 A	,	
			1660	13/2/2	116 80		
436			16104	10 jacja	100100)		
			17 Kg	15/2/2	16.301	1	
437						,	
438		1	14KL	16/2/2	10 Am		-
			10.11	12/1-1	14.0.5		1
139			13 Ry	17/2/2	100550		,
11.00			1810	18/2/2	11 Han		
440			,				1
441			14 Ky	19/2/21	10.30	-	
			1.0	1,	1.10	-	
442		-	18Kg	20/2/2	1 11 Hony		
443		-	1/24	22/2/2	1.1. Hon		4
445			10704	30,000			
444			18KG	23/2/a	10.Aa		ii ii
			,				1
445			14 Ky	24/2/2	16.30	\	
1,,				0561	10 Aa		i i
446		-	16 Kry	25/2) 3	(07)		1
447		-	14,64	26/2/2	10.314		1
				1 , ,		ļ	
448			16K4	27/2/2	110Ar	1	-
			ļ				
	11	.1	1	1	1	ر المناسمة ما الما	h ComSoonnor

						6) from
ONIE	Feede	Compa	Ruty	1/3/2	(1000)	11	
Les Like			1011-7	2/3/21	ulan		
450			I	3/3/21			
451	,		,				
452			'	4314	1		
453				5 3 21			
454			,	6/3/21			
455			1547	8/3/21	10/477		
456				9/3/21	1	1	
457			15/4	10/3/21	1047		
- 458		1	17KJ	11/3/21	IDAT	Fisa	
459			1419	123/21	UAn		
460		1	13 127	13 32	10 AT)		
7-46-1			14×1	15 3 21	10AN		
462	1	7	1514	16/3/21	16:30AT		
I-463			14/4	17321	1147		
- A64		- 1	15kg	18/3/21	IDAN		
			,				
	١,	1.					

	Cropin	Comply	Cost	DATE	Tirus	C	Date Page
)' //)	000	Coar	Coff	19/3/21	JOAN		
165			1445	20/3/21	ΠΑη		
466		. 1 (1)	16/4	22/3/24			
467					1		
468			1447	23/3/21	1147		
469			16/24	24/3/21	11AM		
476		111	14kg	25/3/21	10:50An		
H111		18/1	13/4	26/2121	11ATT		
472	11	1(1)	15×7	27/3/21	lian		
	31	1-4/1	144	29/3/21	10A7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
473	1-1-		16K1	30 3 31	llan		1 3 1 1
474				31321			
475	0 /		13 Kg	,			1
476		115	MM	114/21	11A17	1	#
477		16/4	IAM	2/4/21	10:AM		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
478	4//	17	154	3/4/21	IIAN	1	1 - 1
479	101	FE	13/4	542	10AM		1 7 7 1
480	11911	1/4:	14/4	6/4/4	10.30Ar	1	•
		17	-	,			2.

0100 800	Der Courbing	Oliny	DATE	Date Page
		18119	7/2/2	1 10 An
481		1449	8/4/21	MAR
482		15kg	9/4/21	16
1,83			1.1.	16.314
484		14.49	10/4/21	LAG
485		15K5	12/4/21	10 AD
HB6	MAX.	16 149	13/4/21	10.30 AN
487	TH	14 24	14/4/21	LIAN
1,98	IHI	15 Kg	15/4/4	10 AM
489	7747	14KIC	16/4/21	JOAN
490	1 11	16RG	17/4/21	lian
7-9191	Tigs	1443	18/4/21	10 An
492	17-31	15ky	20/4/21	IIAn
493	1 1 1 1 1 1	13KJ	20/2/21	10 ° 30 An
-494	740	15Hz :	22/4/21	11AD
495	FIE	14 45 2	13/4/21	10 11
496		15k) ?	24/4/21	MAD

D	DEED!NY	(oaters	OUTY	DATGR	age TIME
SV J	X.		16/19	26/4/21	1/47
497			1414	27/4/21	1030A1
498			1549	28/4/21	JO AT)
492			16 Ky	29/4/21	1647
501			15Kg	30/4/21	10 AT
502			13kg	215/21	HATT
503		1212	14Kg	3/5/21	10.38AM
504	1 1 3	12121	1649	4/5/21	10 AT7
505		10/53/3	1549	5 5 4	10 AT
506	-31 /	12150	16/4	6/5/24	IIAN
207	- 21	5 20/5b	14K5	7/5/24	10:30AD
108	911	9960	13kg	8/5/21	HAD
209		anlan (1519	19/5/21	10 DrAn
210			1649	11/514	UAT
211	A. // - [1	7 12 KD	14KY	125/21	10AM
512		182	15Kg	13/5/1	NAD
			1		

SINO	PEEDIN	Comple	Bloth	DATER	onte TIPMO
513			1584	14/5/21	ILAN
514		,	1449	15/5/21	10 Ag
B15			16 Kg	17/5/21	10.3040
516			15 Kg	18/5/21	10 Ap
517			14/4	19/5/21	HAM
518		Ç.	13 Kg	20/5/21	- LO AT
519			17K)	2115121	10:30A;
B10			15kg	22/5/21	11 A Ŋ
521	- 1 1 1	1212 8	14 14	24/5/21	IIAn
522		25 6 5	15 Kg	25 514	10-20Ah
-523	21 12	2 6 3	16129	26/5/21	10AA
-524		13.5	14149	27/5/21	llan
-529	1 14	1013	13K) ;	28/5/21	11AT)
~-5kb		11 014	16 Kg 0	29/5/21	16-20AD
		0/8/1/2	15 kg 3	31/5/21	11 ATT
~		4/4/62	17-K-5 1	6/2-1	10 AT
				Soonnod with	

0	& Cripuin	Company.	0448	DUE	mit 11-12 C
150			16/9	216/21	1011
629			1419	3/6/21	linn
530			1345	4/6/2-1	10.30AT
1522			15K7	5/6/21	uAn.
533		MARIE	16 Kg	716/21	1147
634		19/10/	1714	8/6/21	10 AT
535			14/16	9/6/21	10.314
536		11/06/11	1549	10/6/21	IIAT .
537	((13 22 10	16/9	11/6/21	11A7
538		16/1/6.	13/9	1216121	10:30 AT
539	ξ γ =	1790	14Kg	14/6/21	11A7
540	3/ []	OFIS.	15K)	15/8/21	10 AT
541		AFIN C	17-14	16/6/21	10.30AM
542	101	15610	14 47	17/6/21	10-117
543	1 1		13/4	10/6/21	IIAN
244	1 / 1	MEDIC	1649	19/6/21	HO 477
	li				

aro l	Chestral	Control	Ofull	DATER	tate 11100
545		V	1514	21/6/21	1/01
546			14 14	22/6/21	TOA
and the same of th			13/4	23/6/21	10:300
647			15k]	24/6/21	
548					1107
549			13k)	25/1/21	11AD
550		Marin.	15kg	26/6/21	10.31.90
551			1BK)	28/6/21	LIAD
552			15kg	29/6/21	10 AT
553			14K)	30/6/21	11AT
554	5 / 1-4	alfi e	13K7	1/7/21	11 AT
555		AND F	15K1	217/21	11 AT
554	• / 1 / C	7 1518	16Kg	3/7/21	(BAD
-557	L	3/11/2	15kg	5721	1147
<u>558</u>	21 - 15	151 6	14/2	6/7/21	10 AT
559		7131 14	16 Kg	9/7/21	10.30AD
-560	7()		174	9/2/21	1147

,0	CELDIN	Cardyn	Orto	DATE	those Tlyle
11			1519	10/7/2-1	IIAT
561			14.47	12/7/21	10AT7
562			16 149	13/7/2-1	10.30 AM
563			15K9	14/7/21	16 AT
304			13/9	15/7/21	11At
565		(N 101)	14K5	16/2/21	UAT
567			17-169	17/7/21	10 AT
			1549	19/7/21	10-30AD
568	7 M/V	1916	1	20/7/21	NAM
569				21/7/21	11 AM
570		12/11	15K)	22 721	10 AD
571			/	23 7/21	10.30AD
572			13/5	2417/21	11 AT7
573			144	26/7/21	
54		Chi A in a			10:30 AT
545			/	27/7/21	
576		(3), (8)	174	28/7/24	11 AT

Sly0	(Cres) wy	Carper	Derty	MATE (Date Proger 1718
14° 577			16kg	29/7/2	MA
578			15KG	30/7/21	LOAN
579			1414	31/7/2	Clan
580			13 Kg	2/8/21	
501			1614	3/8/21	HAT
582			14 Kg	48/21	13 An
583			13kg	5/8/21	14.87
504		18/11/2	15kg	6/8/21	15 An
585		13/14/5	13kg	7/8/21	14 An
-586		181818	14 kg	9/8/21	LIAD
<u>587</u>		FILLIC	15kg	10/8/21	10.AT
		CICC :	18KS	11/8/21	10.30 AT
590		8/16	17Ky	178/7	ILAT
-591			13kg	13/8/2	II AD
-592			15kg	14/8/21	10.30 AD
			15/2	16/8/21	11 AT
				Scanned w	ith CamScanner

Scanned with CamScanner

,0	Eggsund	Carry	Byry	DATE Q	Date 11 C
()			15kg	17/8/21	1147
592			14Kg	1818121	10AT)
525		V - C - C	1614	19/8/21	ПАП
596			14Kg	20/8/21	10.30 AM
597			13kg	21824	IIAT
598		delail i	15kg	23/8/21	10 AM
529		7 1117	16149	24/8/21	11 AT
600		1981	1747	2518121	IDAN
601		dela	14K)	26/8/21	10 AM
602		-CIPAL C	15Kg	27/8/21	IIAM
603	1	CIAGIL	15kg	28/8/21	(0'30 AT)
604	A }	date	16Kg	30/8/21	NAM
605		dela l	1349	31/8/21	11 AT)
606	100	2/9/2	1547	119/21	10 AT
607	0.1	10/01	17Kg	219121	HAN
618	3 4 //	10/2/2	14/4	3/9/21	10:30 A
,					7
]	and the same of th

Strio	1 655 DM	Contract	DHY	DATER	Date Page TTY
har 609			1547	4/9/21	MAN
610		17.00	14/9	6/9/21	long
0/10			17-14	7/9/21	VAh
- 0 1 - 0 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			16 Kg	919/21	11An
612			15kg	919/21	
613					LOAD
614			144	10/9/21	10.00 AT
615		10/11/2	17Kg	119/21	ALAN
616		Bide d	15kg	13/9/21	11An
17		Blac o	14kg	13/9/21	1197
6/8	11 19	BIELL	15kg	15/9/21	11 An
619		26 J 2015	1747	16/12)	10 AM
620	1	19 Sol 61	1524	17/9/21	10 AD
671		1112	1727	18/9/2)	10-30AM
622		13 1	16kg	2019/21	MAD
623			154	26/21	10 AD
624	181 18	1 1 1		001	
			14K)	£19127	MAD
				Scanned with	CamSaannar

Scanned with CamScanner

.0	Kickory	Consisture	Diny	DATO Date	TIFE
SINO			16 Ky	23/9/21	1/47
625			1549	24/9/2-1	10 A D
622			14/149	25/9/2/	1AA
		NELL IN	1549	27/9/21	10.30AN
629			13 Kg	28/9/4	11AD
630		Migi =	17Kg	29/9/21	11 A D
631		Julia C	15Kg	30/9/21	10 AT
632	11	Collect C	14kg	1110/24	HAT
633		11/12/1	15kg	2/0/2/	10.20AT)
634		MEELC	1749	4/0/24	MAM
695	101 1	191221	154	5/10/24	NAN
636	911	7. [25.10]	13kg	6/10/21	10AT)
637	01	134/10/1	14 14	7/10/21	NAM
638		1/01/35 1	1747	8 10/21	10AH
639	MAGI I	40196	154	9/10/24	1030AM
640		(1/2/2017	16K5	102	NAM

SUR	(Eschie)	Company	Orley	DATE	Dote Page TITM
Large BL1	X		15/4	12/10/2	1 AIAI
642			16 149	13/10/21	10 10
643			1449	14/10/21	THAT
644			14/4	15/10/21	TRAD
645		1,1	154	16/10/21	10 AM
646	1	1-2	14 4	18/10/21	MAG
647		11.5	1349	19/10/20	1187
- 648		All P	15kg	20/10/1	10.3x Am
6h9		1 2 1	13 Ky	21/10/21	11 AT
-650	1(5)	11/2/2	15kg	22/10/21	10 Aty
		13/12 P	16 147	23/10/21	10 AT
652		11/9 6	17Ky.	25/10/21	MAD
		ME FA	14Ky	26/10/21	10 AT
655			134)	27/10/21	11 AT)
666		MIST PC	154) 8	8/10/21	18AD
			[LK) 2	5/10/21	11 AT

My CO	Cripbing.	Combin	Oful	DATER	Date TITE
507			16 kg	30/10/21	11AT
		11111	1449	1/11/21	10 AT
269		11/25 1	15K7	2/11/21	10.30An
1	31 11	11111	13/4	3/11/21	IIATI
670		Riel V	14 Kg)	4/11/24	10 AT
631	919 110	Whi c	15H	5/11/21	11 A D
692	1 10	Mes	16K)	6/11/21	10 AT
693		echie		8/11/24	11 A M
624		Autsc		911121	10 AT
675			16 K7	10 11 21	10.30 AM
176				11/11/2	IIAN
577		AMIGC .		2/11/21	IIAD
578				, ,	10 AT)
679				13/11/21	10 AT)
680				15 11/2)	10.30 AM
681			,	16/11/21	10.70 TM
692			154	17/11/21	
			,	-	

SIMD .	(18/11)	Continy	614	DULCE	Jung Trees
	11.		15/9	18/11)	11AD
1. March 663			1414	19/11/21	10 AD
664			/	10.14	
685			16 Kg	26/11/1	1120
6.86			154	22/11/21	10.30 Ab
Constructive and the second			IAKY	23/11/21	10AD
684					
688			15kg	14/11/1	MAD
687			X =	25/11/21	10 An
690			1.	26/11/2)	11 Aŋ
-69/-			. = .	27/11/21	16 AT
692				29/11/21	10 AT
693	1 0	- * * 1 2	12.5	30/11/24	9 .
694					-
695					
			1 .		
696			3 -		,
697	CV W	71 31 1			
698	3				

SLANO	being	Complete	OHRA	DATE	bate THY TO
699					
700					
701					
202					A
203					
284					
705					
706					
707					
708					ļ.
708					
710					
711					
712					
713					
714					
				0	nned with ComSconner



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

08

Date of sampling

: 02/10/2021

Time of Sampling

: 3:00 pm

Date of Analysis

: 08/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	*	Abjected	·	
Turbidity, NTU, Max	5	10	-	12	
pH value	6.5-8.5	8.5	6.8	7.4	
BOD, mg/l	10	20	210	18	
Nitrate ,mg/l	45	-	85	51	The latest

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

* Suggested to druk ale shower states

* Increase Determion turn of in The Touch CADOT 18 minh)

* Charles with him feed.

Principal

Sapthagirl College of Engineering 14/5, Chikkasandra, Hasaraghatta Main Road

Bengeluru - 550 057

Lab Instructor

Lah In-charge

HOD/CIVII

1.R.L



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

ROP

Date of sampling

16/10/2021

Time of Sampling

M10012:

Date of Analysis

: 16/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable		Abjectional	V	Parc State
Turbidity, NTU, Max	5	10		10	
pH value	6.5-8.5	8.5	6.7	7.3	
BOD, mg/l	10	20	208	17	
Nitrate ,mg/l	45	_	82	47	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

the salt aller sites feet salts with the Tank!

A fir blower & salis time has so inches

ordered son't mounted is ready viff the

Relaciostate Sapthagiri College of Engines 14/5, Chikkasandra, Hesaraghatta Main Road

Bengaluru - 560 057

Lah In-charge

HOD, Dept. of Civil Engg. S.C.E, Bangalore-560 057

C. R.L



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

08

Date of sampling

: 22/10/2021

Time of Sampling

: 2:45 pm

Date of Analysis

: 23/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	2. 5 0	Abjectionally	~	
Turbidity, NTU, Max	5	10	_	9	
pH value	6.5-8.5	8.5	6.7	6.9	100
BOD, mg/l	10	20	216	21	
Nitrate ,mg/l	45	20	93	HH	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

as control the our blower, filtel newterint has to feed

Principal Sapthagiri College of

Lah In-charge

S.C.E, Bangalore-560 057



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING

ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

Date of sampling

: 21/10/2021

Time of Sampling

: 2:16 pm

Date of Analysis

: 21/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	-	Abjection		
Turbidity, NTU, Max	5	10	-	11	
pH value	6.5-8.5	8.5	6.8	7.9	
BOD, mg/l	10	20	216	19	
Nitrate ,mg/l	45		95	H1	THE LEFT

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

* Reduce line feed J, by

Principal Sapthagiri College of Engineering 14/5, Chikkasandra, Hesaraghatra Main Road Bengaluru - 560 957

ah Instructor

Lab in-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

Date of sampling

: 26/10/2021

Time of Sampling

: 1:20

Date of Analysis

: 26/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable		objectionable	V	
Turbidity, NTU, Max	5	10	-	11	
pH value	6.5-8.5	8.5	1.7	6.8	
BOD, mg/l	10	20	206	19.1	
Nitrate ,mg/l	45	_	98	43.2	-

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

* Marijain feed of F-M, and her to charge compainter

Principal Sapthagirl Collage of Engine 14/6, Chikkasandra, Hasaraghaita Main Row Bengaluru - 560 057

I ah In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

Date of sampling

: 30/10/2021

Time of Sampling

Date of Analysis

:1:20pm : 30/10/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable		objectionali	/	
Turbidity, NTU, Max	5	10	-	8	
pH value	6.5-8.5	8.5	6.5	7.2	
BOD, mg/l	10	20	210	19	
Nitrate ,mg/l	45		92	43	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal Septhagirl College of Engineer 18/6, Chikkasandra, Flager

Lab Instructor

I ah In-charge

S.C.E, Bangalore-560 0



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.





DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

: 8

Date of sampling

: 12/11/2021

Time of Sampling

: 3.20pm

Date of Analysis

: 12/11/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable		Objectionable	/	
Turbidity, NTU, Max	5	10	-	10	
pH value	6.5-8.5	8.5	6.5	6.7	
BOD, mg/l	10	20	212	1.81	
Nitrate ,mg/l	45		78	A4-8	-100

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal
Sapthagiri College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bengaluru - 560 057

Lab Instructor

Lah In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

08

Date of sampling

: 19/11/2021

Time of Sampling

: 2:58

Date of Analysis

: 19/11/21

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	*2	objectional	V	
Turbidity, NTU, Max	5	10	_	9.5	
pH value	6.5-8.5	8.5	6.5	7.8	
BOD, mg/l	10	20	111	19.8	
Nitrate ,mg/l	45	-	92	46	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal
Sapthagirl College of Engineering
14/5, Chikkasandra, Hesaraghatta Main Road
Bangaluru - 560 007

Lab Instructor

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.





DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

08

Date of sampling

: 24/11/2021

Time of Sampling

: 1:40 pm.

Date of Analysis

: 24/11/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	•	objectionable	/	
Turbidity, NTU, Max	5	10	_	10	
pH value	6.5-8.5	8.5	6.7	7.2	
BOD, mg/l	10	30	220	18,8	
Nitrate ,mg/l	45	-	90	42.8	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal
Septhegir! College of Engineering
14/5, Chikkasapora, Hesaraghatis Main Road
Bangaluru - 560 nc7

lab Instructor

Lah In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.)

Accredited by NAAC with 'A' Grade

ISO 9001:2015 and 1400:2015 Certified Institute.

#14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru– 560 057. Web: www.sapthagiri.edu.in,Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

Locality

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57.

Sample site

: SCE Campus

Source

: Effluent from Sewage Treatment Plant

Type of Sample Collected

: Grab Sampling/Integrated sampling/Composite sampling

No of Sampling Collected

08

Date of sampling

: 4/12/2021

Time of Sampling

2:15 pm.

Date of Analysis

: 4/12/2021

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	-	chiectionable	/	
Turbidity, NTU, Max	5	10		9.5	
pH value	6.5-8.5	8.5	6.5	7.9	
BOD, mg/l	10	20	190	19.5	
Nitrate ,mg/l	45	_	98	44.8	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Fitumpal

Aspthegiri College of Engineering Mrs. Chicassocky Hearing and Main Road

Bangalum - 600 out

l ab Instructor

Lah In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57. Locality

: SCE Campus Sample site

: Effluent from Sewage Treatment Plant Source

: Grab Sampling/Integrated sampling/Composite sampling Type of Sample Collected

No of Sampling Collected : 08

: 9/12/2021 Date of sampling

2:35 PM. Time of Sampling

: 9/12/2021 Date of Analysis

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	1.07	objectionabl	. ~	
Turbidity, NTU, Max	5	10	-	9	
pH value	6.5-8.5	8.5	6.8	6.7	
BOD, mg/l	10	20	210	18.3	
Nitrate ,mg/l	45	-5.	95	44	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal

Sapthagiri College of Engineering 14/5, Chikkasandra, Hesaraghalta Avan roa Bangaluru - 560 057

Lab In-charge



(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057.

Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57. Locality

: SCE Campus Sample site

: Effluent from Sewage Treatment Plant Source

: Grab Sampling/Integrated sampling/Composite sampling Type of Sample Collected

No of Sampling Collected

: 18/12/2021 Date of sampling

Time of Sampling

18/12/2021 Date of Analysis

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable		objectiones	V	
Turbidity, NTU, Max	5	10	_	10	
pH value	6.5-8.5	8.5	6.3	7.3	
BOD, mg/l	10	20	210	20	
Nitrate ,mg/l	45	-	89	44	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)

Principal Sapthagirl College of Engineering 14/5, Chikkasandra, Hesaraghaire Main Road Bangaluru - 560 057

Lab In-charge



Sample site

SAPTHAGIRI COLLEGE OF ENGINEERING

(Affiliated to Visvesvaraya Technological University, Belagavi & Approved by AICTE, New Delhi.) #14/5, Chikkasandra, Hesaraghatta Main Road, Bengaluru- 560 057. Web: www.sapthagiri.edu.in, Phone: 080-28372800/1/2



DEPARTMENT OF CIVIL ENGINEERING ***ANALYTICAL 'STP WASTE WATER QUALITY' LABORATORY REPORT***

: SCE Campus, Chikkasandra, Hesarghatta main road, Bengaluru-57. Locality

: Effluent from Sewage Treatment Plant Source

: SCE Campus

: Grab Sampling/Integrated sampling/Composite sampling Type of Sample Collected

No of Sampling Collected 08

: 23/12/2021 : 2:15 Date of sampling

Time of Sampling

: 23/12/2021 Date of Analysis

TEST RESULT

Parameter	Desirable limit	Permissible limit	Influent	Effluent	Remarks
Odour	Unobjectionable	(-)	abjectionet	* ~	
Turbidity, NTU, Max	5	10	-	8.9	
pH value	6.5-8.5	8.5	6.9	7.2	
BOD, mg/l	10	20	222	21	
Nitrate ,mg/l	45	_	99	45	

^{*} This report is designed to inform about the quality water and service deliver to SCE Campus every day. This is the summary of total number test and sample results found as per standard water quality analysis procedure. SCE constant goal is to provide a safe and dependable supply of drinking water. SCE always face ahead to continuous improve the water treatment process and protection our water resource.

Note: (if any)


Principal Septhagiri College of Engineerin 1M5, Chikkakamira, Hasaraghana Men, Ko. Bangaluru - 560 057


Lab Instructor


Lab In-charge


S.C.E, Bangalore-560 057


ron () th: 2 29.7 cm pie






















	Page No.			6	e p exoup		Page No.				G D Group	
or or		9.45	W.How	Elic	. Red	or a since	2.11 - mi	255 570	Torol	S S	3.5	
	25 212	mmday	L ₂	4	48	142.00	1195 pm	9	93		هد	
•	36 Jana	Everaloy	u3	ц	59	\$100 APP	3.30 pm	3	106		SIB	
8 253 64	8- 25	wednest	61	12	64	1. 15pm	1:40 PM	4	137		Sia	
3240	38 35 h	Tr. Byylin	ધુવ	, Y	15 A	2111 pm	å. 31 pm	5	85		جننئ	
3784= N	20 1250	7,027	45	á	52	1/13C-Am	1 /8/00 Am	Ч	103	22.0	شدني	
23000	3/1/201	Sohundag	ų9	8	38	11' 15 Am	11:35 Am	ų	35		\$1 0	
	3. 3	Sunday							-			
4	*			6			. #	,	ŧ			
















,	Page No:		-		G D Group		Page N				(6)	
14.	Date	Day	yellow vo	Blue	Red	Int	me	out time	Total	P.P. com	Trickage	5/5.9
31665		Tuesday	83	115	48	12:30	pm	lioo pm	176	14.8	- sig	
						1						
0 31700	10 3 21	wednes	Н8	Ц	61	3:15 6	om	-8; 55 pm	113	105		
30518	11/3/21	Thurs day	33-	. 67	29	7:30	Arn	81 5 AM	67	17: 4 7:	,	
31756	18 3 21	Fri day	32	8	48	3:00	pm	a; 30 pm	88	ти - Д <u>і</u> '	A 3774	
-31782 1	13)3[3]	Satur	Н6	8	52	2:20	ρm	2; 45 pm	106	w.5		1
,,,,	14381	Sunday							(1)	, ? ·	·	
14 31832 C	15 3 21	monday	65	5	76	9: 30 1	om	2:50 pm	146	Ч		
31845	16 3 31	Tuesday	112	6	ઈંધ 🥏	2:30	em	3100 pm	102	9	o (- ; -).	
							- 1		ann ainm an ann an ainm an ainm an ann an ann an an ann an ainm an ainm an ainm an ainm an ainm an ainm an ain	4		














	Page No	; }			(C),	Page Late	Nev / /			(3) 00 61000
**	0.11	50%	7. Ston	13/40	Wood .	· · · · · ·	· where	iolos	P. Con,	Constant
23,818	36 u 3	Sunday	80/240							
3,7315	33 1. 31		164 648	50)15 94	116/185 pg	1:00.pm	11.30 pm			
	32 0 31							,		
SIBFC.	उ र्थ घोडा	Thursday	362 13 74	67 Kg 34	93.	1:00pm	11 30 pm	ecu.	5	
	30 4 3.1		A)		"I izellak		. ,		- Italia	
							1.			
•									1.7	
							*)			

		Page No:		AY - 2021	and a realist framework of the control of the contr	G D Group		Page No: Date:	1 1			6	N N
18	1	To the	DOW	Villano	Blue	Red	In t	me	Out time	actal	P.P.	Inchard Qua	
	2887 2887	1 5 21	Saturday	300/600Kg	60/180 Kg	100 300 kg	1;00	ρm	1138pm	C.14	White 10		
Open (P)		2/5/21	Sunday			19 os		-	2				
-	87835	3 5 81	monday	167 37 2 Mg	30 93 kg	50 185kg	3:00	pm	3; 40 pm		15	·	
-	. <u>2</u> 7843 27841	4 5 8	Toesday	172 430kg	1820 1549	30 75 kg	3;00	ρm	3: 85 pm		1		
M.	8 1965 8 1960	5 5 8	iDednes	10 367 N) 3	- - - - -	- 1:00	Pm	1; 30 pm		5	23,4	-
		8 5 21	Thursday							- 237	2342		
511	3735	=15\ a.1	Fsiday	86 198H	3 -	16	1;00	8w	1, 30 pm		2		``
	335E 335E	हाइ का	Solventes	St 168/59	10	12	1:00	pm	1:45 pm	1) nuid		
- Selbon													







		Page No:		June -2021		G D' Group	Page N	No:		(0)	
1		Tuke	hw.c.	Month.	Blue	Red	In time	cultime	Total P.P com	6.15 Page 1 2.15	51.1
Ade	176	1631	Toesday	42 :	-	110 14.9	1:00 pm	1:30 pm	9		
(Single)	200	8 6 21	day	54%.	Q .	20	3:10 pm	3;35pm			
* 1 1 1	236	3 6 21	Jhuss	42:	F	126129	1:30 00	2:00 pm	: 4"		
	264	4621	day day	34 10	eq	83.88	4130 pm	S:00 pm		10	
30	, 283 3	5 6 21	Sallay	14 169	<u>r</u>	3216	11:38 AM	12:10 Pm	Cu		
		6 6 21	Sunday							5 v 	
T S	<u>381</u> 385	18 9 4	menday	130 yes	OT	1051-9	wd 00 161	12.35pm	4		
1 1 1	339	8 6 31	Jues	18 18	8	46 K g	1; 30 pm	3:00pm	4	2 To 200	

month of I		1126				1800		
2000	37. 15 P	35136	7 P	2.3	35.6 10	609.8	13/41	
20	16.12	16/9/11	5.	18 6 181	20	16/9/01 68996	963	Page No.
flur speciment	the same	manday	Maple	day subse	Faiday	dring.	day day	liver)
	(3) -pt	T T		0 20 20		(25) (24)	38 PS	Sallow A
	PRIO LIGITA STRANSFARMANA	OO			i i		1	in the
48 00 00 00 00 00 00 00 00 00 00 00 00 00	2 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	E 32		841H	14 No.	6.4 kg		e Garoup
4. 18	3.000	11 00 20		3:30 pm	rd . 00 m	H . 30	&: 30 Pm	Page Date
S. X.	/s	30 89		4:30 pm	u' Se par	5:00 Pm	3:00 pm	Page No:
	9.0	0.		9 57	2	Maria	65	
				7		5° ≅ .		2 6 12 12 12 12 12 12 12 12 12 12 12 12 12

-	Y	Page No				G D Group	Page	Page No			G D Group	
*		Dies.	Drug	ACCOUNT	Berry	Pek	July 4 March		1012	DE COM	Sauc Oca	150
Va Add	35838	35838 176 21	Thurs y	34 6R	2	6 X 11 1	W. P. II	n. 800m		E	1.	
	35887	18 6 21	Friday	20	16	311 06	3; 00 pm	3; 30 pm		6	87	
1 1 4 4 1	1 35 quy	19 6	Satur	20	ω	ū	1: 3000	2; 00 pm			The state of the s	
TLLL		80 6 21	Sum							3.	\$	
No.	35964	21 6 21	menday	62	6	h8	1:30 Pm	2:00 pm		<u>a</u>	8 c	
	35990 92.6	22 6 21	day	18	೦೦	84 8H	1: 39000	2:00pm		90	2. 2	
. 7	13881	23621	wednes	27	0.1	38				5		
	13934	34 6 21	Thursday	ठ	œ	23				1	. 1000	

		Progression	,		The second se	G D Group	Pag Date	ge No			60 60	o'na
	-	7 11	1	Tellar	Hill	Red		call time	rotal	P. 1 (cur)	Zinchood	3/5.19
pr py	13964	25 [6] 21	Koway .	16	5	19	11: 30 Am	12:00Pm		2		
(Spanson)	13983	86 6 91	Sahinday	21	8	18	19: 50pm	1: 30pm		4		
* 1 -4 :		18 6 58	sunday			\(\frac{1}{2}\)						
		28/6/21	menday							3 1 2 7		
us	2019	39621	Tues	16	<u>Ч</u> 4	28 32				2		
-	2082	30 6 21	wednes day	2-8	q	41				12		
614												
								**				
****	A Section of the Sect				The special control of				, in the second of the second			

		Date /		A A		G D Group		Page	No: : / /			(GD)-	*
A STATE OF THE STA		Title	Diy	YELLOW	Blue	Red	In time		out time	Total	p.p. con	Snylood Snylood	
ру	2125		Thurs	53	7	48	1:00 P		1:35 pm	108	3	\$19	0,30
(N 85%)	25193	2. = 31	Foriday	<u>4</u> 8	6	39.	_1:LOE)m	1; USPM	93	92 8 C.	= 6 hz	
7	2145		Satur	36	6	31	11:50 6	am.	12;20 pm	7.3	∞3 π,}	2	
سنده سند سند		4 7 21	Sunday								, 655; 348		
ng-	2181	5/7/31	menday	21	8	48	1: 30 F	o m	3: 10 PM	マす	16hasir		
	2202	[6] F[6]	Tuesday	52	7	34	3:00	рт	3', m bw	93	3 6 70 (2011)	18 1 A	
5 14 C	25197	7 7 21	wednes day	38	q	46	3;00 p) m	31:80Pm	93	2 1		
2	7428	8 7 21	Theors day	43	9	67	3:00	pm	3: 30 pm	112	7		
	And the second s	<u>'</u>							1		i Para dia		

	10-11										
	Date v.				GD Group	Page No	e No		D P COM	GD Group	•
	The state of the s	200	yellow .	21178	Rud	177	out time	10101		9 P	188
2300 S	10	Buday	qo	W	18	1:00 pm	1:35 pm	63	90		
3306	20 L	Satur	<u>ල</u>	19	48	10: 00 Am	10; 40 Am	89	6		
	29	Sunday									
1 2317	18 + 81	Menday	56	=	7.5	11; 00 mm	11:30 Am	138	6)		
W8 23+1	13 7 80	Russday	711	T	18	1: 40 Рт	2:20 pm	9			
1 5197	11 11 20	wednes day	ÇJ Çe	∞3	୍ଥଧ	2; 00 pm	მ: 30 pm	64	in a		
5634	160 1 51	Mules	(J)	4	57	3;00 pm	3; 35 pm	61	3		
15654	16 7 21	Paiday	30	<u>a</u>	CJ 80	1; 10 βm	1:40 pm	49	85		

15 14	1 + 1: \$	W 5			(See A)	20
5981	586	5918	5888	6485	0463	
U 7 82	30 7 31	297 21	200	97 4 21	296 4 291	Date Date
Satur	Briday	Yhurs	wednes	Rap Sanj,	menday	Sunday
<i>8</i> 9	29.89	36	36	36	33	Yellow
1	-0.	Ť.	07	6	∞	Blue
七十	34	27	3.8	43	36	GD Group
10:00 Am	3 30	\$2;00 \$3;00	2:10 6	1: 30 pm	11: 00 mm	t me c
m.	ρm	3	p _m			Page No: Date:
10:30 Am	4:00 pm	&; 30 Pm	8:35 pm	9:00 pm	11:30 Am	ent time
83	69	10	69	85	76	1010
W	CO ₀	Ç,	Qs	W	E	P.P. com
		\$ 2 \$ 2 \$ 2 \$ 2 \$ 2 \$ 2 \$ 2 \$ 2 \$ 2 \$ 2				GD Group
						\$ (\$)

8 2 9844 TIS	7436 6		8 5 TOFF 8	7661 418	7637 3/8	9631 <u>9</u> 8.	Page No Date 1) At the state of the state o
21 Foriday 21 Satur day	20		Rap Trens	las wednes	101 Toesday	2) monday	Sunda
ಲ್ಲಿ		4E	7 1	मंत्र	රිය	ू 1	Algust August
	83	Cú	89	4	4	7	13lue
	<i>8</i> 9	7	. 5 <u>.</u>	53	19	56	GD Group Rud
	3:00 pm	31 00 pm	11: 20 Am	11: 10 Am	1;00pm	11: 00 Am	Page No: Date: 1
	3; 40 pm	a; 30 pm	11: 48 9m	111′35′ Am	1:30 pm	11:30 Am	Out time
	57	14 14	601	<u>0</u>	27	100	Total
	وې	80	1	w W	<u>α</u>	Čí	D.D. COVIN
# * # * # * * * * * * * * * * * * * * *	*					·	e D'Group
							569

	,	Page No:				G D Group	P ₂	Page No: Date: / /			G D Group
1		Dake	Day	Yellow	Blue"	Red	In time.	out time	Total	d'd .	CONT
a d	1447	9821	menday	고	र्ग	53	2) 45 pm	31 20 pm	107	4	
- 4			-								
(See A)	4795	10 8 21	Tocsday	74 89	9 A B	31	3; SO Pm	4; 10 pm	вц	ال	
{ *	7011	0	To John State of the State of t	<u>م</u> ک	I	100			O	ม	
t L	1814	8 21	day	H	Į	100	4,00	4; 30 pm	193	Ú	
- 4	7845	12 8 21	Thurs	6H	00	-11 ()년	2 an on	M2 00 DM	14 X	C	شد
1	P	-	doe								
2	7855	13 8 21	Foriday	(U)	S	ය ති	3' 30 pm	n u; S pm	.66	3	-
1											
1 1. 1	## F 8 # T	1488	Saturday	47 60	上	31	2:00 pm	&: 30 pm	69	90	
1		15 8 21	Simpay		-				2		
1 ,1 ".			Č								
1	368F	16 8 21	Rapusa	S S S S S S S S S S S S S S S S S S S	∞	47	ವಿ: 50	ρm 3; 20 pm	811	7.	T.
F							i	+		6	
									a de		

	4	Page No:			99	GD Group		Page No:	0:			G D Group	yup
1 *		Dare	ROG	.Yellow	Blue.	Red	In time		out time	Total	Pro con	and Species	s sig
P	4912	14/8/21	Toesday	රූ	F	40	21 30 F	bw	3:00 pm	63	6		4.
Ya													
S)	4933	18 8 21	wednes	ريا وع	QO	4	3: HE 6	pm	η; 20 pm	61.	<u>۱</u> -		
88			fron										
{ •	10 Co	16 8 04	Thugs	11 50	20	אַ		8		3			
			Rop				8,00		8.00	0	F		
4	11616	X 08	U8:50	9	-	20							
{ {							1.		4.00	C F	8		
41		5											
NO	11911	\$1 × 81	Amplen pos	12	00	30	d:00 b	3	4: 35 pm	53	Cu		
1.1													
1 4		22 8 21	Sunday					+-		, , , , , , , , , , , , , , , , , , ,			To a
4 1													
T IN	11634	8 8 81	menday	55	89	86	H105	pm	h mppm	187	5)		
1													
1		24 8 21	Tuesday										
<u> </u>													
	And the second second second second					**			# .2 .4	*2			

		Program W.			•	ie		Page No.				1
a (6)		5.2	THE STATE OF THE S	The Later Control	(32.47)	2	21177	out had	10171	37.62	PICOS S	0.00
35	11 659	1.818188	media			610			30			
(300°)	BEI	140 8 8 B 121	Hop way	\$ QID		45	23 26 28	3: 40 pm	16	5.1		
	28k11	92 92 93	Foundary	88	9.9	85	3, 25 pm	3:45 pm	109			
	15	05 05 05 05	Satur	≯ 58	00	44 .	31 220 pm	4:0000	\$5 pm	2		
20		10 8 68	Sunday									Regional Control Con
		80	menday	<u>+</u>	ı	55	wd0a.1	1,380 bw	0	2		
TIE		200	Man X	15	20	54	1:30pm	2:00 pm		* 60		
g										7		
den e	0.044.00	er de constituent de	enen enginene optimientalism om en utbedruce)	energinary includes yet in more common activation decays again		eggeneten er en						

		Page No			9			Page No:				
~		Dato / /			3	roup		Date: 1			G D Group	•
1 1		Date	Ama	Yellow	31	Red	Aime 100	gart grip	Total	5.00	2000	25 55
A Cal	11949	9921	Thuses	46	5	40	md 99:1	1:30 pm	97			
SON		10/9/21	Friday									
1, 1, 1, 1	14021	11 9 21	Saturday	46	∞ ,	20	1:500	11 30 pm	108	8000		State of the same
l l l, l		18 0 21	Sunday							New 1		
. Z	160h	13 9 81	menday	H.G.	(B)	62	12:50 pm	1:20 pm	128	\$0 \$0		
1' 1' 1'	14061	F 0 0	Tresday	E M	2)	28	3;00 pm	3; 35 pm	43	1. Sa. 6		
E S	40 84	50	wednes.	is the second se	,1	38	12:5pm	12: 30 pm	4 4 4	6		
Land 1	Ē	16 9 91	Muss	10	6	- C2	1:00pm	1:30 pm	83			7.

Frederica	- 1 1	4	20	25		/	S COM	10 10
	14331	4300	14253	14240	SITHI	. } ,	14181	14163
	84 9 81	23 9 21	28/9/21	21 9 21	80 9 31	19 9 21	18 9 31	Page No: Date Date 17 9 2)
	Bridoy	Huses deey	wednes day	hapsani	menday	Sunday	Satunday	Boulday
	32	34	20	<i>3</i> 8	& ⊗		28	Yellow 36
	8	8	O _D	∞	4		4	G D Group
	27	45	18	<u> </u>	49		206	So Red
	2;30 pm	2; 20 pm	1: 15pm	11:50.pm	1: 50 pm		\$;00pm	md S:1
_	s; s pm	3; 00 pm	1: 45 pm	12: 20 pm	2; 18 Pm		2; 30 pm	Page No: Date: / / Third
	67	87	1 th	78	84		58	Total ,
	4	4	w up	17.8.11.	iba.	July 1903	(J)	2000 Dib
			10 10 10 10	10123		776		GD Group
								6 53 9 day

18. 14. 24. 35 at a late stand 18. 14. 24. 35 at 2000 at 3000 at 101. 4. 18. 18. 18. 18. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19		1			6.0 Co.	- Garage		Tage or			0
35 9 31 Samuday 18		U.	£4-23	ACTION	Bin	103	41 17 6		Total	300	1 8
84 9 31 Sumday 32 8 36 4:50pm 4:30pm 101 84 9 31 Weday 32 8 36 4:5pm 4:30pm 46 84 9 31 Weday 34 4 42 8:45pm 8:30pm 82 30 9 81 Thurvy y y y 4 5 33 8:45pm 3:30pm 84		25 00	Saturday	50	ı	\$1	3. 5 pm	2	40	Coe	1 1
36 9 31 menting 44 6 51 4:000m 4:300m 46 86 9 9 9 9 9 9 9 9 9 9	•	26 9 21	Rapums				3				
88 9 9 1 1 Toursday 31 8 36 4 5pm 4:30pm 46 899 9 81 Wednes 36 4 42 8.00pm 8:30pm 82-45pm 3:30pm 84 30 9 81 Thursday 46 5 33 8:45pm 3:30pm 84	. < 🐧 👣		Person	nh.	5	5	m.000;h	٤	1 1 1	-	1 1 1
30 9 81 Wedne 36 4 42 8 80pm 8:30pm 82 48pm 3:30pm 84	FEFFI		Tuesday	31	30		7. Spo		946	6	and the second s
1806) 30 [9] &1 Thuroday 46 5 33 8:45pm 3:20pm 84	18023	2 2	wednes	36	r		3 00 pm	રુ	13	5	and the second s
	8082	30 9 2	Thuroday	16	5		2:45pm		984	6	-
											And the second second
											Contractive Contractive
											1 1
											1 5
			engelen og belgædiglæmer –				e o exceptive de amilia de la		Andrew An	eri deren geti dilimbira da endaggili giri da cama e	

	Page No: Date: / /	00+	october sos)	GD Group			Page No:				
1	Tate	Day	Yellow	Blu	Red	The CAT	time	Total	P.P	Tuckored	S sig
p, 18070	0 1 10 21	Foudou	29	8	36	md01:1	1: 45 pm	70	Ī		
S 18101	20 21	Saturday	<u>س</u> ا	00	24	2. IADO	23 C Om	7/			
18/0											
	3/10/21	Sunday									
18138	4 10 21	menday	43	11	53	3:00pm	31 <i>30 p</i> m	103	8		
4.4											
N 18175	5 5 10 21	Tresday	48	6	20	12:45pm	0 1:15 pm	∞	b		
6₫ .											
- <u>18224</u>	6 20 21	wednesday	20	O)	40	J: Hopm	21:18 pm	89	W		
314											
18254	7 10 21	Theeseday	32	6	29	1:00 pm	1:30 pm	67	مع	#7 • *	ek sime
				7							
18300	8 10 21	Fariday	29	6	32	2:00pm	&;30 pm	67	7		

	Page No:			G D Group	dp		Page No:			GD Group	
1	Tate	Dow	Yellow	Blue	Red	Time	Que	rotal	CONT CONT P, P	Association.	8 519
pi 18309	9 10 21	Sotwelley	TT	W	34	1:00 pm	1: 30 pm	9 N	6		
	10 10 21	Sunday									
1839.3	14 10 21	manday	CQ CP	\otimes	200	1:50pm	d; 15 pm	66	μ		
	18 01 (81	Trenday	<i>3</i> 0	6.	24	2:30pm	3; 00 pm	60	W		
18376	13 10 21	day	80	I	- 8	3:Spm	3; 30 Pm	50	2		
	14 10 21	Thusosday		×*	19						
18397 15	5 10 21	Friday	48	00	36	3:00pm	3; 30 pm	89	də		
14634 16	10/21	Saturday	34	Ē	70	1: 8 pm	1:30 pm	65	4		
				-							

	Page Not Date: / /			G D G	iroup		Page No:			G D Gro	quo
the state of the s	Date	Day	Yellow	Blue	Red	In time	out	Total	P.P Com	Inchascelle	Ssig
	17 20 21	Sunday									
1466	18 10 21	monday	32	- ** F - **	29	1:4000	2; 10 pm	68	6	(1.7)	
14766	79 10 21	Tuesday	12	1	20	12: Sopn	1: 15 pm	33	3	2: 21:4	
÷ 1476	1 20 810 21	wednes	24	3	16	2: 20 pm	3:00pm	43	J · · ·		
22819	5 21 10 21	Thurs	31	8	27	1; 35pm	2:00 pm	66	H.		
2286	8 32 10 21	Foriday	31	4	28	2:25pm	3.100 pm	63	3	66 00 100	
2287	8 23 10 21	Saturday	31	3	. 22	2:00pm	2;30 pm	56	pro Ly	E-1311.E	
``	24 10 21	Sunday			,						
-		!									

3; 48pm Da
3:45pm H:5pm 57 3:40pm 3:10pm 57

- 24941		428	24963	₩. 1846 14846	1 2 4856	24805	\$1 25193	23125	2014
	8 11 21	7 11 201	6 11 21	57	4/11/21	\$0 = 0	2)		Page No:
	monday	Sunday	Satur	Foidou	These said	wednesde	Tresday	menday	S Frog
+	30		25	3b	700	\$0 \$0	26	35	NONEM BER
	∞		7	6.	89	E	6)	I	R -263)
	کو ک		2 0	26	μl	18	20	294	Red
	12:0000		mg 00 ;1	3; HSpm	3; Spm	S': 30 Pm	ada0:8	11:5000	AU COL
	121:30pm		1; 35 pm	и; 10 <i>pm</i>	3;30 pm	3:00 Pm	2:30 pm	1:30pm	Page No: Date: 1 1
				62	28	НИ	62	63	potal
	41		te	W	-	Qu	હ	W	D.P.
	10 to								The Colour
And the second second second	A								0.8.0 0.00

	The No.			(A)			Page No:				
-	Page No:			G D Group	quo		Date: / /			G D'Group	1 3
The state of the s	Date	Don	Yellow	Blue	Red	145	400	Total	con p.p	Thousande	SISI
1											
9	9 11 21	Tuesday									
Q .											
200	5		2	×9	3		2000	-	7		
		day			A 30.5	0.00			1		
100											
1 25 048	11 11 29	Theers	39	W	18	2:00 pm	2130 pm		L		
						}					
X,25,200	12 11/21	Faiday	\$8	2	2)	2:00 pm	2; 30 pm	,	7		
4											
£25100	13 11 21	Schwiday	36	H	22)	11. 8 bw	1: 40pm		(U		
A.											
F. 1.	14/11/21	Sunday							A		
										N.	
14 25165	15/11/21	Menday	(J3 ⊗	51	20	12;35pm	1: 00pm		۲		
-27607	16 11 31	Toesday	31	カ	28	1: Sopm	2:25 pm		6		
Part							2				

27 85	11 938 FE	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	3 1 3.	19££6n	1 1 2 1 1 6 5	18946 18946	10 10 10 10 10 10 10 10 10 10 10 10 10 1
2 2 2 2	Q. Q.	97	29	161 20			S9769311
4 11 21	3 11	2) 11	11 21	0 811 31	19 11 2	18 11 21	Page NO: Date: / /
wednes day	Tuesday	menday	Sunday	Satur	Feiday	Thurs	wednes day
26	20	2 4		. 36	88	<u>u</u>	Yellow 21
4	E	-17		41	W	8	Blue &
$ \infty $	16	8		20	72	20	
2:00pm	2:00pm	1:50pm		3;00 pm	3;10pm	2.5pm	ads Bill
2:35 pm	2; 30pm	2; 25pm		3: 30 pm	3;50pm	2: 40 PM	Page No: Date: 1 1 Date: 1 1 Date: 1 1
							Total
5	ω	5.7.8. J	10037-17	7.61	7 K	7	o grap
							A Soo fru I.
							8.6/s

and the same of th			1	(6b;	_{նոր}	(Page He			(D)	
And the same of	1 make	1/11/	Jekkon.		Red . Mar	(11)	(10/10)	1/12	trubung"	8 1
~ 5 190	,] 36 [11] 31	Thereon	ى د	1 (A Hoobin			2		
5 196	3 36 11 /31	Psuday	10	1 (35 g; papu	of gapino		3		
	16 3 1 n 7.51	Salus) dny	20	3	11 5; tp, pro	3/50 pm		1		
	38 11 331	gumelny						,		
M - 3000	3 39 111 31	menday	/po	10	5.1 3. DPbio	3; 3 6 pm		L		
has d	36 / 11 /31	Tweeding								
5.14										
						- B.	1			

